





UNITEx™VX

Ex db IIC, Ex eb IIC, Ex ta IIIC, Ex nR IIC

VORTEx` BARRIER GLAND WITH VARIABLE DELUGE SEAL™

for Unfilled Multi Armoured and Marine Cables

Features and Benefits

- For indoors, outdoors, Group II, III, Zone 1, 2, 20, 21 and 22 hazardous areas.
- For unfilled hygroscopic multicore cables refer to IEC 60079-14; 9.3.2 and 10.6.2a, IEC 61892-7, 10.6 and 10.7.
- Freely rotating captive cone and inspectible cone ring provides an armour clamp and earth bond on steel wire armour, aluminium wire armour, tape armour, braid wire armour cables and NEK 606 marines cable susceptible to cold flow.
- With a patented Variable Deluge Seal™ as standard.
 Instantly mixed and injected resin forms a 100% barrier seal around the individual cores of the cable.
- Prevents explosive gases and/or liquids transmitting down the cable.
- Precision manufactured from high-quality brass (Marine Grade Electroless Nickel Plated™) available in stainless steel 316/316L on request.
- Supplied with a thread sealing gasket (parallel threads only).









PATENTED

Technical Data

UNITEx™ VX (VORTEx®)

Gland Material: Brass (Marine Grade Electroless Nickel Plated™) or Stainless Steel 316/316L Seal Material:

Standard Thermoset Elastomer or Extreme Temperature Seals,

Quick setting Injection Resin Barrier Seal

HDPE, Nylon 66 or PTFE

Sealing Gasket Material: Cable Type: Steel Wire, Aluminium, Braided and Tape Armour Cable Exhibiting Cold Flow

Armour Clamping:

Rotating Captive Cone and Inspectible Cone Ring
Outer Sheath, Variable Deluge Seal™ and VORTEX® Resin around Cable Conductors Sealing Area: Optional Accessories:

Adaptor, Reducer, Earth Tag, Locknut, Serrated Washer and Shroud

The installer should ensure that the materials are suitable for the installation

environment

Standards and Certifications

IECEX/INMETRO: Ex db IIC Gb, Ex eb IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da Equipment Protection Levels ATEX/UKEX: (a) II 2/3G 1D Ex db IIC Gb, Ex eb IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da TR CU: (a) 1Ex d IIC Gb X, 1Ex e IIC Gb X, 2Ex nR IIC Gc X, Ex tb IIIC Db X CCC: Ex db IIC Gb, Ex eb IIC Gb, Ex ta IIIC Da

Continuous Operating Temp: -50°C to +95°C Conformance Standard: IEC/BS EN IEC/BS EN 62444 **IFCFx**

IEC 60079 Part 0, 1, 7, 15, 31 EN 60079 Part 0, 1, 7, 31 EN 60079 Part 0, 15 **ATFX** BS EN 60079 Part 0, 1, 7, 31 UKFX BS EN 60079 Part 0, 15 ΓΟCT 31610-0, 15, ΓΟCT IEC 60079-1 TR CU (Russia)

ΓΟCT P M9K 60079-7, 31 CCC/CNEx (Chinese) GB/T3836.1, 2, 3, 31-2021

SANS/IEC 60079 Part 0, 1, 7, 15, 31 SANS

IP66/68 850m - Parallel IEC 60529

IP65/66 - Tapered IEC 60529 IP68 - Tapered and approved grease IEC 60529 **Deluge Protection** DTS-01

ASTM B117-11, BS EN ISO 3231 IEC 60079 Part 0, 7, 31 IEC 60529 IEC 60079 Part 0, 7, 31 IEC 60529 Corrosion Protection Marine ABS DNV-GL

EMC Compatible EN 55011, + A1, EN 55022 CE CE WE SGS [H[] ONE W W SABS DNYGE

Certificate: CML 14CA364 IECEx CML 18.0018X

CML 16ATEX1001X CML 16ATEX4002X CML 21UKEX1011X CML 21UKEX4006X EA9C RU C-ZA.HA91.B.00245/21

CNEx 21.3388X.

CCC 2021312313000394 MASC MS/22-9001X CML 15Y728

IECEx CML 18.0018X CML 14CA370-2 **FXOVA N968667** ABS 20-1952706-1-PDA DNV-GL TAE0000010


SGS EMC305079/1 SHBS MASC



The cable gland shall only be used where the temperature, at the point of entry, is between -50°C to +95°C . Braided cables must only be used on fixed installations where the cable is clamped or stress applied to the cable

is prevented

Only Resin supplied by CCG may be used in the glands.



All dimensions except NPT are in mm. Intermediate thread sizes are available on request. NPT threads should be tightened 'wrench tight'



FITTING INSTRUCTIONS

Metric Illustration

UNITEX™ VX (VORTEx®) BARRIER GLAND

ENCLOSURES AND EQUIPMENT TO WHICH CABLE GLANDS ARE FITTED:-

- Must be made from materials which are compatible with the cable gland materials Have a sealing area around the cable gland entry point with a surface roughness Ra 6.3 μm.
- Have entries that are perpendicular to the enclosure face in the area where the cable gland will seal to within 2.5°.
- Are sealed using the supplied sealing gasket (parallel threads) or by fully tightening into a threaded entry (tapered threads). Note that for tapered threads the IP rating can be improved to IP68 with the use of a suitable thread sealant.

MUST HAVE THREADED ENTRIES

- The same thread size as the cable gland. (Thread adapters should be used to correct
- any mismatch)
- With a thread tolerance of metric class '6H' or equivalent.
- Where the thread length is a minimum of 10mm for Ex d applications or 3mm for all other applications


OR CLEARANCE HOLES (not Ex d)

- Where the hole size is the thread nominal size with a tolerance of +0.1 to +0.7mm. (e.g. the clearance hole for an M20 thread will have a diameter between 20.1mm and
- Through material that is between 1mm and 12mm thick. (Thicker materials can be accommodated using glands with extended entry threads.)
- 1. For accurate sizing, use a CCG Dimension Tape (A) on the inner and outer cable sheath.



Separate the inner ② from the body ③. Cut back the cable outer sheath to expose the armour to a length as per the table below. Strip back the inner bedding to expose the inner cable cores using the cone ⑤ as a gauge.

Gland Size	Armour Length	Gland Size	Armour Length	Gland Size	Armour Length	Gland Size	Armour Length
00-16ss	20.0	3s-32s	30.0	6s-63s	45.0	9-90	50.0
00-20ss	20.0	3-32	30.0	6-63	45.0	10-100	60.0
0-20s	20.0	4s-40s	30.0	7s-75s	50.0	11-115	60.0
1-20	25.0	4-40	30.0	7-75	50.0	12-120	60.0
2s-25s	25.0	5s-50s	35.0	8-80	50.0	13-130	60.0
2-25	25.0	5-50	35.0	9s-90s	50.0		




If the cable cores have screens these should be cut away or twisted together into a single core. This single core should be insulated with heat shrink tubing or coated with insulating varnish. Any drain wires should also be insulated with heat shrink tubing or coated with insulating varnish.

Using a clean cloth, clean the cable cores.

If the gland has NPT entry threads fitted to a threaded entry then IP68 (2m) can be achieved by applying one of the following tested and approved grease types to the thread:- Renolit Lubrene CA700 or LX220 EP2, Renolit LC-WP2 or Moly LX2, or Dow Corning 4 Electrical Compound.



- Using the insulation tape, bundle the cores together at the end.
- To maintain IP66/68, ensure the thread gasket ① is in place. Screw the inner ② into the apparatus and tighten to the installation torque using a CCG Spanner \odot . If the apparatus is untapped use a locknut. Pass the bundled cable cores through the outer nut @ and the body 3. Pass the bundled cables cores through the inner @ and inner diaphragm seal and splay the armour wires over the cone 5



- Tighten the body ③ onto the inner ② until hand tight, then tighten with a CCG Spanner ⑦ with ¾ turn to lock the armour between the cone 5 and the cone ring 6
- Unscrew the body ③. Check that the armour has locked between the cone ⑤ and the cone ring ⑥ (O-Ring on the cone ring 6 is sacrificial). Withdraw the barrier pot sub-assembly 8 and bundled cables. Remove the insulation tape.
- Remove the cap 🕦 from resin applicator and attach the mixing nozzle 🗓 (use extension nozzle for small multicore cables). Whilst holding the barrier pot sub-assembly ® upright and holding the diaphragm seal firmly against the cable sheath inject the resin into the resin chamber*. Make sure the resin fills the inspectible resin seal pot © all the way to the top of the protective resin pot © and wipe any excess resin away.

Wait for the resin to set from a liquid to a gel, this should take:

- 15 minutes at 10°C
- minutes at 20°C
- minutes at 30°C
- minutes at

For installations in less than 5°C Ambient, warm the Resin Tube in warm water at ± 50°C. If there is still resin left in the tube, discard the mixing nozzle @ and replace the cap @ for use with the next gland.

- * The installation is acceptable of the cable sheath is pushed 2mm or 3mm into the resin seal.
- Re-insert the barrier pot sub-assembly ® back into the inner ②.

