# nVent CADDY Pyramid Step Over Ladder, 45°

- Standard angle ladders provide easy changes in elevation
- Interchangeable components are easily assembled yielding labor-saving and quick installations
- nVent CADDY Pyramid bases provide superior load distribution and roof membrane compatibility
- Foam bottom offers low abrasion interface for better roof membrane protection
- Aluminum construction designed to withstand harsh environments
- Walking surfaces with serrated tread provides maximum slip resistance and drainage
- Meets the harmonized standard NEN-EN-ISO 14122-3

Material: Aluminum, Polypropylene, Polyethylene

Part Number	Article Number	Walkway Height (mm)	Number of Steps	H (mm)	W (mm)	D (mm)	A (mm)	F1 (N)	F2 (N)
PCL45H600EU	360601	600 – 680	3	1,700 – 1,780	1,240	830	200	1,500	2,500
PCL45H800EU	360602	800 – 880	4	1,900 – 1,980	1,244	1,030	200	1,500	2,500
PCL45H1000EU	360603	1,000 – 1,080	5	2,100 – 2,180	1,244	1,230	200	1,500	2,500
PCL45H1200EU	360604	1,200 – 1,280	6	2,300 – 2,380	1,244	1,430	200	1,500	2,500
PCL45H1400EU	360605	1,400 – 1,480	7	2,500 – 2,580	1,244	1,630	200	1,500	2,500

Static Load 1 represents load for a single step. Static Load 2 represents maximum total load of the ladder.
Clearance of walkway is 100 mm less than the walkway height.