

PULSA 800E



PRODUCT DESCRIPTION

- Cordless gas nailer for mechanical & electrical fixings

PRODUCT PROMISE

Fastest, most efficient system for fixing M&E fastening systems. Improve your productivity - work faster than ever before

FEATURES AND BENEFITS

- Low actuation force - work faster, easier and less fatigued especially overhead
- Slim and streamlined - best line of sight and access to tight locations
- Tool free depth of drive - perfect finishing with all accessories
- LED display showing remaining fuel and battery power
- Start & Go® allowing 3000 shots per charge
- Improved dust protection - reduces the need for servicing and health and safety risks
- Reduced Hand Arm Vibration (H.A.V) - low expose levels and minimal health and safety risk

APPROVALS



APPLICATIONS

- Fixing of pipes, cables & wiring accessories
- Direct fixing of electrical trunking and junction boxes
- Floors, walls & overhead fixings into: concrete, pre-stressed concrete, masonry and steel

SUBSTRATES



SAFETY



PRODUCT RANGE

Item Description ▲▼	Quantity ▲▼	Product Code ▲▼
Pulsa 800E	1	018350 ⚠


CONSUMABLES



METAL WASHER

For use with magnetic pin guide to fix wire mesh and membranes. use with magnetic pin guide 014641

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Steel Washer 25mm	1000	011204



C6 FH P40/P800

Standard flush head pins with gas for concrete and stone

▲▼ Item Description	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Quantity	▲▼ Product Code
C6 40mm FH	40 mm	1	500	057544



HC6 FH P40/P800

High performance flush head pins with gas for steel, hard and pre-stressed concrete

▲▼ Item Description	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Quantity	▲▼ Product Code
HC6 15mm FH	15 mm	1	500	057555
HC6 17mm FH	17 mm	1	500	057556
HC6 22mm FH	22 mm	1	500	057557
HC6 27mm FH	27 mm	1	500	057558



CLIP ELEC

All purpose base plate for use with cable ties for fastening conduit & cable. cable ties not included

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Clip Elec All-purpose Cable Tie Clip 9mm	100	011203



E-CLIP

For fast installation of rnc and rigid conduit

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Black Conduit Clip 20mm	100	565532
Grey Conduit Clip 16mm	100	567214
Grey Conduit Clip 20mm	100	565032
Grey Conduit Clip 25mm	100	565033
Grey Conduit Clip 32mm	50	565034
Grey Conduit Clip 40mm	50	565035
Grey Conduit Clip 50mm	50	567215



CT CLIP

Fixing with moulded cable tie for securing facilities up to 32mm diameter

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Grey Cable Tie Clip 16 - 32mm	100	565508



P-CLIP

For fastening conduit and pipework to floors and walls

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Grey Double P Clip 16mm	50	567209
Grey Double P Clip 20mm	50	565086
Grey Double P Clip 22mm	50	565087
Grey Single P Clip 16mm	100	567206
Grey Single P Clip 18mm	100	567207
Grey Single P Clip 20mm	100	565082
Grey Single P Clip 22mm	100	565083
Grey Single P Clip 25mm	50	567208



ALL-PURPOSE STEEL BAND

Versatile all-purpose steel band for fixing any electrical services


▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
12 x 0.8mm x 10 metres	1	056562



Threaded Rod Hanger Clip (TRH)

Metal clip to hang threaded rod (M6/M8), chains or suspension cables

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
M6 - M8 Threaded Rod Hanger	100	011430
M8 - M10 Threaded Rod Hanger Clip	100	011431



C6 P40/P800

Standard pins with gas for concrete

▲▼ Item Description	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Quantity	▲▼ Product Code
C6 20mm	20 mm	1	500	057540
C6 25mm	25 mm	1	500	057541
C6 30mm	30 mm	1	500	057542
C6 35mm	35 mm	1	500	057543



HC6 P40/P800

High performance pins with gas for steel, hard and pre-stressed concrete

Item Description	Fastener Length	Fuel Cells	Quantity	Product Code
HC6 15mm	15 mm	1	500	057550
HC6 17mm	17 mm	1	500	057551
HC6 22mm	22 mm	1	500	057552
HC6 27mm	27 mm	1	500	057553
HC6 32mm	32 mm	1	500	057554



CW6 P40/P800

High performance removable 25 mm pin with gas for applications into timber.

Item Description	Fastener Length	Fuel Cells	Quantity	Product Code
CW6 25mm collated for P800	25 mm	1	500	057562



CG6 P40/P800

Standard soft washered pins with gas for concrete and stone

Item Description	Fastener Length	Fuel Cells	Quantity	Product Code
CG6 20mm	20 mm	1	500	057563
CG6 25mm	25 mm	1	500	057564
CG6 35mm	35 mm	1	500	057566



HCG6 P40/P800

High performance soft washered pins with gas for hard & pre-stressed concrete

▲▼ Item Description	▲▼ Fastener Length	▲▼ Fuel Cells	▲▼ Quantity	▲▼ Product Code
HCG6 22mm	22 mm	1	500	057568



FIREFIX

Unique cable fixing from Pyrsman used to fix fire performance cables

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Double Clip Size 02 Red	200	921623
Double Clip Size 02 White	200	924251
Double Clip Size 04 Red	200	921624
Double Clip Size 04 White	200	924253
Single Clip Size 01 Red	500	921622
Single Clip Size 01 White	500	924252



CABLE BOW FIXING

Single and double bows for fixing of cables without trays. designed for 3 core x 1.5mm²

▲▼ Item Description	▲▼ Quantity	▲▼ Product Code
Double Cable Bow	25	565916
Double Cable Bow Incandescent	25	565918
Single Cable Bow	50	565915
Single Cable Bow Incandescent	50	565917

ACCESSORIES



Eurocode 115251
Impulse Cleaner
300ml



Eurocode 013690
Impulse & Pulsa
Cleaning Kit



Eurocode 014623 ⚠
20 Pin Magazine for
P800



Eurocode 014640 ⚠
50 Pin Magazine for
P800



Eurocode 014642
Flat Magnetic Pin
Guide for P40 / P800



Eurocode 018483 ⚠
Battery for Pulsa 800



Eurocode 018484 ⚠
Battery Charger for
Pulsa 800




Eurocode 018820
E-Lift Pole Tool 178cm
for Pulsa 800E



Eurocode 018849
E-Lift Tube Extension
75cm for Pulsa 800E



Eurocode 019336
Battery for P40 / P800
/ ST400



Eurocode 018423
NISE PIECE P800E



Eurocode 018490
SINGLE SHOT
COVER GUARD

TECHNICAL INFORMATION

Tool

Description ▲▼	Value ▲▼
Weight According EPTA (Kg)	3.7 kg
Net Depth Dimension (mm)	309 385 114 mm
Power (Impact Force)	82 J
Fuel Cell Capacity	500 shots
Fixings Per Battery Charge Uom	shots shots

Consumables

Description ▲▼	Value ▲▼
Fastener Length Range	15-40
Magazine Capacity	20 fixings
Fixings Per Sec	2 fixings

Battery

Description ▲▼	Value ▲▼
Battery Capacity	2.2 Ah
Battery Charge Time	90 Min.
Battery Type	Lithium

Safety

Description ▲▼	Value ▲▼
Vibration (EN ISO 8662-11) hav	4.1 -