

# Elpress Mobile - tool with interchangeable dies



Professional contact crimping tool with interchangeable dies for the installer or service technician.

**Properties:**

- reliable, safe, economic and ergonomic tools
- parallel-moving crimping movement with 10 kN crimping force, tested for 20,000 crimps
- change crimping dies quickly and easily in one operation
- the crimping dies are kept together in pairs and stored in custom holders
- wide selection of dies allows you to use one tool frame for 19 different crimping applications!



Elpress Mobile, frame only.

## Elpress Mobile

Mobile hand tool (frame only). Dies are supplementary.

mm²	AWG	Name	Net weight (kg)	Length mm	Width
0,25-10	24-8	MOBILE	0,554	234	64



Elpress Mobile + dies OAA0525 and OEB0210.

## Mobile Installation

Mobile hand tool with two interchangeable dies:

- Die OAA0525 for crimping pre-insulated 0.5 - 2.5 mm² terminals.
- Die OEB0210 for crimping end sleeves 0.25 - 10 mm².
- The tool comes with associated dies in blister packaging.

Name	Net weight (kg)	Length mm	Width
MOBILE INSTALLATION	0,695	234	64



Elpress Mobile + dies OMP45 and OCC1113.

## Mobile DataCom

Mobile hand tool with two interchangeable dies:

- OMP45 for crimping modular plug RJ45.
- OCC1113 for crimping coaxial contacts RG58, RG59, RG62 and RG71.
- The tool comes with associated dies in blister packaging.

Name	Net weight (kg)	Length mm	Width
MOBILE DATA/COM	0,667	234	64



## Mobile Solar Kit



Elpress Mobile + dies OMS4, OMS3 and OMSL.

Mobile hand tool with three interchangeable dies and cable stripper LOKE for stripping solar panel cable with extra thick insulation:

- OMS4, roll crimping of contacts with sleeve  $\varnothing$  4 mm, 2.5 - 6.0 mm<sup>2</sup>.
- OMS3, square crimping of contacts with sleeve  $\varnothing$  3 mm, 2.5 - 6.0 mm<sup>2</sup>.
- OMSL, square crimping of contacts, 2.5 - 6.0 mm<sup>2</sup>.

Name	Net weight (kg)	Length mm	Width
MOBILE SOLAR	0,772	234	64



Cable stripper LOKE.



## Mobile Box

Box for the mobile tool with room for the tool as well as 5-6 associated dies. Tools and dies are ordered separately.



Name	Net weight (kg)	Length mm	Width	Height
MOBILE BOX	0,32	246	218	57

## Additional dies for Elpress Mobile

All dies have the same quick and easy way of being inserted into the tool frame. The dies are kept together in pairs and supplied in a cassette that can be docked to other cassettes.



**OAA0160**  
Crimping die for Elpress MOBILE tool for asymmetric crimping of pre-insulated terminals 0.1-4 mm<sup>2</sup> and 4-6 mm<sup>2</sup>.  
AWG 11-9



**OAA0525**  
Crimping die for Elpress MOBILE tool for asymmetric crimping of pre-insulated terminals 0.5-2.5 mm<sup>2</sup>.  
AWG 20-13.



**OSW0360**  
Crimping die for Elpress MOBILE tool for crimping through connectors with heat shrink insulation 0.3-0.75 mm<sup>2</sup> and 4-6 mm<sup>2</sup>.  
AWG 11-9.



**OSW0525**  
Crimping die for Elpress MOBILE tool for crimping through connectors with heat shrink insulation 0.5-1.5 mm<sup>2</sup> and 1.5-2.5 mm<sup>2</sup>.  
AWG 15-13.



**OPB0140**  
Crimping die for Elpress MOBILE tool for crimping global power connectors, GPC connectors.



**OPB6099**  
Crimping die for Elpress MOBILE tool for crimping global power connectors, GPC connectors.



**OWB4099**  
Crimping die for Elpress MOBILE tool for W crimping of uninsulated terminals 4-10 mm<sup>2</sup>.  
AWG 11-7.



**OKB0725**  
Crimping die for Elpress MOBILE tool for punch crimping uninsulated terminals 0.75-2.5 mm<sup>2</sup>.  
AWG 18-13.



**OKB0560**  
Crimping die for Elpress MOBILE tool for punch crimping uninsulated terminals 0.5-6 mm<sup>2</sup>.  
AWG 20-9.



**OEB0210**  
Crimping die for Elpress MOBILE tool for crimping end sleeves 0.25-10 mm<sup>2</sup>.  
AWG 24-7.



**OEB1625**  
Crimping die for Elpress MOBILE tool for crimping end sleeves 16-25 mm<sup>2</sup>.  
AWG 5-3.



**OEB3550**  
Crimping die for Elpress MOBILE tool for crimping end sleeves 35-50 mm<sup>2</sup>.  
AWG 2-1/0.



**ORB0110**  
Crimping die for Elpress MOBILE tool for roll crimping uninsulated terminals 0.1-1 mm<sup>2</sup>.  
AWG 26-17.



**ORB0560**  
Crimping die for Elpress MOBILE tool for roll crimping uninsulated terminals 0.5-6 mm<sup>2</sup>.  
AWG 20-9.



**OMP45**  
Crimping die for Elpress MOBILE tool for crimping modular plug RJ45.



**OMP11**  
Crimping die for Elpress MOBILE tool for crimping modular plug RJ11.



**OFO5432**  
Crimping die for Elpress MOBILE tool for crimping fibre optic contacts.



**OCC0908**  
Crimping die for Elpress MOBILE tool for crimping coaxial contacts RG174, 179.



**OCC1113**  
Crimping die for Elpress MOBILE tool for crimping coaxial contacts RG58, 59, 62, 71.



**OCC4755**  
Crimping die for Elpress MOBILE tool for crimping coaxial contacts RG6, 59.



**OMS4**  
Dies for Mobile tools for roll crimping contacts with sleeve diameter 4 mm, 2.5-6.0 mm<sup>2</sup>.  
AWG 13-19.



**OMSL**  
Die for square crimping contacts 2.5-6.0 mm<sup>2</sup>.  
AWG 13-9.

