

BI CON COMPRESSION CONNECTORS

Easy Entry - Pre-insulated connectors 0.5 - 1.5mm² Red

The most comprehensive of small terminal ranges comprising of a variety of styles. The PVC terminal sleeve is tapered internally to allow ease of insertion of conductors and is rated at 80°C operating temperature. Disconnectable terminals such as 'bullets' and 'push-ons' incorporate an insulation grip in the entry portion on the connector to protect the cable against damage when making disconnections.

COMPRESSION CONNECTORS - RINGS (RED)

Cable Size mm ²	Stud Size mm ²	Ref. No.
0.5 - 1.5	3.0	BER3PAK
0.5 - 1.5	3.5	BER35PAK
0.5 - 1.5	4.0	BER4PAK
0.5 - 1.5	5.0	BER5PAK
0.5 - 1.5	6.0	BER6PAK
0.5 - 1.5	8.0	BER8PAK
0.5 - 1.5	10.0	BER10PAK



COMPRESSION CONNECTORS - FORKS (RED)

Cable Size mm ²	Stud Size mm ²	Ref. No.
0.5 - 1.5	3.0	BER3FPAK
0.5 - 1.5	3.5	BER35FPAK
0.5 - 1.5	4.0	BER4FPAK
0.5 - 1.5	4.0	BER4FSPAК
0.5 - 1.5	5.0	BER5FPAK
0.5 - 1.5	6.0	BER6FPAK
0.5 - 1.5	3.5	BER35FGPAK



COMPRESSION CONNECTORS - PIN (RED)

Cable Size mm ²	Blade Length	Ref. No.
0.5 - 1.5	12.0	BER10PPAK



COMPRESSION CONNECTORS - BLADES (RED)

Cable Size mm ²	Blade Length	Ref. No.
0.5 - 1.5	9.0	BER10BPAK
0.5 - 1.5	14.6	BER13BPAK
0.5 - 1.5	16.0	BER13BNPAK
0.5 - 1.5	18.5	BER17BPAK



COMPRESSION CONNECTORS - HOOKS (RED)

Cable Size mm ²	Blade Length	Ref. No.
0.5 - 1.5	17.0	BER17HPAK



COMPRESSION CONNECTORS - BUTT SPLICES (RED)

Cable Size mm ²	Ref. No.
0.5 - 1.5	BERSPAK



COMPRESSION CONNECTORS - PUSH-ONS (RED)

Cable Size mm ²	For Tab Size	Ref. No.
0.75 - 1.5	2.8 x 0.5	BDR285FPAK
0.75 - 1.5	2.8 x 0.8	BDR288FPAK
0.75 - 1.5	4.8 x 0.5	BDR485FPAK
0.75 - 1.5	4.8 x 0.8	BDR488FPAK
0.75 - 1.5	6.3 x 0.8	BDR63FPAK
0.75 - 1.5	6.3 x 0.8	BDR63FEPAK
0.75 - 1.5	6.3 x 0.8	BDR63MPAK
0.75 - 1.5	6.3 x 0.8	BDR63FMPAK



COMPRESSION CONNECTORS - MALE BULLET (RED)

Cable Size mm ²	Bullet Size mm	Ref. No.
0.75 - 1.5	4.0	BDR4BMPAK



COMPRESSION CONNECTORS - FEMALE BULLET (RED)

Cable Size mm ²	Bullet Size mm	Ref. No.
0.75 - 1.5	4.0	BDR4BFPAK



Note: Suffix 'PAK' denotes bags of 100.

BICON COMPRESSION CONNECTORS

Easy Entry - Pre-insulated connectors 1.0 - 2.5mm² Blue

COMPRESSION CONNECTORS - RINGS (BLUE)

Cable Size mm ²	Bullet Size mm	Ref. No.
1.0 - 2.5	3.0	BEB3PAK
1.0 - 2.5	3.5	BEB35PAK
1.0 - 2.5	4.0	BEB4PAK
1.0 - 2.5	5.0	BEB5PAK
1.0 - 2.5	6.0	BEB6PAK
1.0 - 2.5	8.0	BEB8PAK
1.0 - 2.5	10.0	BEB10PAK
1.0 - 2.5	12.0	BEB12PAK



COMPRESSION CONNECTORS - FORK (BLUE)

Bullet Size mm ²	Ref. No.
3.0	BEB3FPAK
3.5	BEB35FPAK
4.0	BEB4FPAK
4.0	BEB4FNPAK
4.0	BEB4FSPA K
5.0	BEB5FPAK
3.5	BEB35FGPAK
3.0	BEB3FFPAK
4.0	BEB4FFPAK



COMPRESSION CONNECTORS - PIN (BLUE)

Cable Size mm ²	Blade Length mm	Ref. No.
1.0 - 2.5	12.0	BEB10PPAK



COMPRESSION CONNECTORS - BLADES (BLUE)

Cable Diameter mm	Blade Length mm	Ref. No.
1.0 - 2.5	9.0	BEB10BPAK
1.0 - 2.5	10.5	BEB10BNPAK
1.0 - 2.5	13.0	BEB13BPAK
1.0 - 2.5	18.5	BEB17BPAK



COMPRESSION CONNECTORS - HOOKS (BLUE)

Cable Size mm ²	Blade Length mm ²	Ref. No.
1.0 - 2.5	17.0	BEB17HPAK



COMPRESSION CONNECTORS - BUTT SPLICES (BLUE)

Cable Size mm ²	Ref. No.
1.0 - 2.5	BEBSPA K



COMPRESSION CONNECTORS - PUSH-ONS (BLUE)

Cable Size mm ²	For Tab Size	Ref. No.
1.5 - 2.5	4.8 x 0.5	BDB485FPAK
1.5 - 2.5	4.8 x 0.8	BDB488FPAK
1.5 - 2.5	6.3 x 0.8	BDB63FPAK
1.5 - 2.5	6.3 x 0.8	BDB63FEPAK
1.5 - 2.5	8.5 x 0.8	BDB85FPAK
1.5 - 2.5	6.3 x 0.8	BDB63MPAK
1.5 - 2.5	6.3 x 0.8	BDB63FMPAK



COMPRESSION CONNECTORS - MALE BULLET (BLUE)

Cable Size mm ²	Bullet Size mm	Ref. No.
1.5 - 2.5	4.0	BDB4BMPAK
1.5 - 2.5	5.0	BDB5BMPAK



COMPRESSION CONNECTORS - FEMALE BULLET (BLUE)

Cable Size mm ²	Bullet Size mm	Ref. No.
1.5 - 2.5	4.0	BDB4BFPAK
1.5 - 2.5	5.0	BDB5BFPAK



Note: Suffix 'PAK' denotes bags of 100.

BDI CON COMPRESSION CONNECTORS

Easy Entry - Pre-insulated connectors 4.0 - 6.0mm² Yellow

COMPRESSION CONNECTORS - RINGS (YELLOW)

Cable Size mm ²	Stud Size mm	Ref. No.
4.0 - 6.0	3.0	BEY3PAK
4.0 - 6.0	4.0	BEY4PAK
4.0 - 6.0	5.0	BEY5PAK
4.0 - 6.0	6.0	BEY6PAK
4.0 - 6.0	8.0	BEY8PAK
4.0 - 6.0	10.0	BEY10PAK
4.0 - 6.0	12.0	BEY12PAK



COMPRESSION CONNECTORS - BUTT SPLICES (YELLOW)

Cable Size mm ²	Ref. No.
4.0 - 6.0	BEYSPAK



COMPRESSION CONNECTORS - FORK (YELLOW)

Cable Size mm ²	Bullet Size mm	Ref. No.
4.0 - 6.0	4.0	BEY4FPAK
4.0 - 6.0	5.0	BEY5FPAK
4.0 - 6.0	6.0	BEY6FPAK



COMPRESSION CONNECTORS - PUSH - ONS (YELLOW)

Cable Size mm ²	For Tab Size	Ref. No.
4.0 - 6.0	6.3 x 0.8	BDY63FPAK
4.0 - 6.0	6.3 x 0.8	BDY63FEPAK
4.0 - 6.0	9.5 x 1.2	BDY95FPAK



COMPRESSION CONNECTORS - PIN (YELLOW)

Cable Size mm ²	Blade Length mm	Ref. No.
4.0 - 6.0	14.0	BEY10PPAK



COMPRESSION CONNECTORS - END CONNECTOR

Cable Size mm ²	Stud Size mm ²	Ref. No.
1.5 - 2.5	3.0	BEYCEPAK



COMPRESSION CONNECTORS - BLADES (YELLOW)

Cable Size mm ²	Blade Length mm	Ref. No.
4.0 - 6.0	10.0	BEY10BPAK



Note: Suffix 'PAK' denotes bags of 100.