

spit

PULSA 40E

Powerful Cordless Gas Nailer

For electrical cable and conduit
management into concrete, steel,
masonry and timber



NEVER STOP BUILDING

A QUALITY FIX, FASTER

Maximise productivity with the NEW Palsa 40E. This cordless gas nailer for fixing electrical cable management systems into concrete, steel, masonry and timber is one of the fastest, most durable and reliable tools on the market. As an electrician you can conform to 18th Edition regulations with a comprehensive range of accessories. Whether it is cable tie mounts (Clip Elec or Metal Clip Elec) for securing cables, the Steel P-Clip for attaching conduit, or the Threaded Rod Hanger for suspending light containment the Palsa 40E system will save you time and money against traditional methods of fixing.

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

CONTACT





PULSA40E

FEATURES & BENEFITS



INCREASED PRODUCTIVITY

- 8 times faster than traditional methods of fixing

MAXIMUM DUST PROTECTION

- Mitigate drilling and drastically reduces the risk to dangerous dust

REDUCED HAND ARM VIBRATION

- Minimal exposure levels

WORK MORE, CHARGE LESS

- Extra battery capacity permits the tool up to 3500 shots per charge

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS
NEXT >

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

FEATURES & BENEFITS



3 YEARS WARRANTY AS STANDARD

- Improved engineering and increased robustness means an extended three year warranty
- * For more information and to view terms & conditions that apply please visit www.itwcp.co.uk

SLIM AND STREAMLINED

- Compact to access the tightest locations and benefit from a great line of sight

DEPTH OF DRIVE ADJUSTMENT

- For the perfect fix

ON SITE TOOL MAINTENANCE

- Easy to self maintain on site

LOW ACTUATION FORCE

- Work faster and easier, feel less fatigue.

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS
< PREVIOUS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

APPLICATIONS



CONDUIT & CABLES



LIGHT CONTAINMENT



TRUNKING & JUNCTION BOXES



FLOORS, WALLS & OVERHEAD FIXINGS



SUBSTRATES



PRODUCTIVITY

RELIABILITY

DURABILITY

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

CONTACT

NEVER STOP BUILDING

www.itwcp.co.uk



PULSA40E

TECHNICAL SPECIFICATION



Code: (with 20 pin magazine)	019679
Weight with battery:	3.8kg
Pin range:	15-40mm Collated
Magazine capacity:	20 or 50 pin option
Intermittent operation:	2 pins per sec
Fuel cell life:	750 shots
Fixings per Battery Charge:	3500



TOOL INCLUDES

- Pulsa 40E
- High impact carry case
- 1x battery
- All in one charger
- Safety glasses to EN166:F
- Single shot cover guard
- Instructions manual
- Allen key
- Safety instructions
- CE Declaration of Conformity

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

CONSUMABLES

10 strip collation **+ 1 x Fuel Cell**



HC6 PINS HARD CONCRETE (>C25) & STEEL

Description	Length (mm)	Collation Colour	Box Quantity	Code
HC6 15	15	Orange	500	057550
HC6 17	17	Orange	500	057551
HC6 22	22	Orange	500	057552
HC6 27	27	Orange	500	057553
HC6 32	32	Orange	500	057554

Suitable for use in 20 and 50 pin magazines.



C6 PINS STANDARD CONCRETE (C25)

Description	Length (mm)	Collation Colour	Box Quantity	Code
C6 20	20	Black	500	057540
C6 25	25	Black	500	057541
C6 30	30	Black	500	057542
C6 35	35	Black	500	057543
C6 40 FH	40	White	500	057544

Suitable for use in 20 and 50 pin magazines.

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

NEXT >

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

CONSUMABLES

10 strip collation **+ 1 x Fuel Cell**



HC6 PINS, FLUSH HEAD HARD CONCRETE (>C25) & STEEL

Description	Length (mm)	Colattion Colour	Box Quantity	Code
HC6 15 FH	15	White	500	057555
HC6 17 FH	17	White	500	057556
HC6 22 FH	22	White	500	057557
HC6 27 FH	27	White	500	057558

Suitable for use in 20 and 50 pin magazines.



CW6 CROCWOOD PINS

Applications into timber.

Description	Length (mm)	Colattion Colour	Box Quantity	Code
CW6-25	25	Brown	500	057562



CG6 PINS, SOFT WASHERED HARD CONCRETE (>C25) & STEEL

Description	Length (mm)	Colattion Colour	Box Quantity	Code
HCG6 22 - Steel Only	22	White	500	057568
CG6 25	20	White	500	057563
CG6 25	25	White	500	057564
CG6 35	35	White	500	057566

Single shot only - cannot be used in magazine.

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

< PREVIOUS NEXT >

CONTACT

NEVER STOP BUILDING



PULSA40E

CABLE MANAGEMENT ACCESSORIES

18TH EDITION
COMPLIANT



D-LINE FCLIP/UCLIP

Description	Box Quantity	Code
F-Clip 30	100	923642
F-Clip 40	50	923643
F-Clip 50	50	923644
U-Clip 30	100	923645
Red U-Clip 30	100	923646
U-Clip 40	50	923647
U-Clip 50	50	923648

F-Clips are fire rated flexible cable clips to support and secure cable installations.

U-Clips are fire rated U-shaped clips that can be fitted direct-to-surface.



STEEL PCLIP

Description	Pipe/Conduit Ø (mm)	Box Quantity	Code
Steel Single P Clip	8	300	016984
Steel Single P Clip	10	300	016985
Steel Single P Clip	16	150	016988
Steel Single P Clip	20	150	016990
Steel Single P Clip	22	100	016991*
Steel Single P Clip	25	100	016993
Steel Single P Clip	28	100	016994*
Steel Single P Clip	32	50	016995

* Order to order only

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

< PREVIOUS NEXT >

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwpc.co.uk



PULSA40E

CABLE MANAGEMENT ACCESSORIES

18TH EDITION
COMPLIANT



THREADED ROD HANGER CLIP (TRH)

Description	Thread Ø	Box Quantity	Code
Threaded Rod Hanger Clip	M6 - M8	100	011430
Threaded Rod Hanger Clip	M8-M10	100	011431

Maximum load 10kg. Static loads only. Do not use Pulsa with rod exceeding 600mm.



METAL CABLE TIE BASE

Description	Box Quantity	Code
Metal cable tie base	100	155721



ALL PURPOSE STEEL BAND

Description	Size	Box Quantity	Code
All-purpose Steel Band	12mm x 0.8mm x 10m	1	056562

NEW



METAL CLIP ELEC

Description	Box Quantity	Code
Metal Clip Elec	100	923688
Metal Clip Elec Snap-Off	100	923689

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

< PREVIOUS NEXT >

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

CABLE MANAGEMENT ACCESSORIES



CLIP ELEC ALL-PURPOSE CABLE TIE CLIP

Description	Cable Tie Capacity (mm)	Box Quantity	Code
Clip Elec Cable Tie Clip	9	100	011203



ECLIP CONDUIT CLIP

Description	Pipe/Conduit Ø (mm)	Box Quantity	Code
Grey Conduit Clip	16	100	567214
Grey Conduit Clip	20	100	565032
Grey Conduit Clip	25	100	565033
Grey Conduit Clip	32	50	565034
Grey Conduit Clip	40	50	565035



CT CLIP

Description	Cable Ø (mm)	Box Quantity	Code
Grey Cable Tie Clip	16 - 32	100	565508*

*Order to order only

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

< PREVIOUS NEXT >

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwcp.co.uk



PULSA40E

CABLE MANAGEMENT ACCESSORIES



PCLIP CONDUIT CLIP

Description	Pipe/Conduit Ø (mm)	Box Quantity	Code
Grey Single P Clip	16	100	567206
Grey Single P Clip	20	100	565082
Grey Single P Clip	25	50	567208
Grey Double P Clip	16	50	567209
Grey Double P Clip	20	50	565086



STEEL WASHERS FOR USE WITH MAGNETIC PIN GUIDE

Description	Diameter (mm)	Box Quantity	Code
Steel Washer	25	1,000	011204

For use with Magnetic Pin Guide: 014641 - Pulsa 40.

OTHER ACCESSORIES

Description	Quantity	Code
Magnetic Pin Guide (for use with 25mm Washers)	1	014641
Flat Magnetic Pin Guide	1	014642
20 Pin Magazine	1	019337
All-in-one Li-ion Battery Charger	1	018484
3.7V 2.2Ah Li-ion Battery	1	019336
Pulsa 40E/800E Pin Guide	1	018423
Single Shot Blanking Plate	1	018490
Pulsa 40 Blister Pack (2 x Fuel Cells)	1	011773
Impulse/Pulsa Cleaning Kit	1	013690
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
E-Lift Pole Tool*	1	018820
E-Lift Tube Extension (75cm)*	1	018849

*Electrical only

WELCOME

TOOL OVERVIEW

FEATURES & BENEFITS

APPLICATIONS

TECHNICAL SPECIFICATION

RELATED PRODUCTS

< PREVIOUS

CONTACT

NEVER STOP BUILDING

PRODUCTIVITY

RELIABILITY

DURABILITY

www.itwpc.co.uk

spit

PULSA40E

CONTACT INFORMATION

For training enquiries,
customer services & support:

spit@itwcp.com

0800 833 381

For technical assistance:

www.itwcp.co.uk

+44 (0)141 342 1660

[back to top >](#)

