




UNITRUNK

SECTION 03: LIGHTING TRUNKING SYSTEMS

Unitrunk Lighting Trunking is manufactured from galvanised sheet steel to BS EN 10346:2015.

QuickFix Cable Trunking fittings can be used with Unitrunk's Lighting Trunking and Accessories Range, enabling the two types to be easily interconnected in order to simplify installation and wiring.



ACCREDITED TO THE FOLLOWING STANDARDS:



LIGHTING TRUNKING SYSTEMS

Lighting Trunking

| Part Code | Size (mm) | Length (m) |
|-----------|-----------|------------|
| LT223 | 50 x 50 | 3 |
| LT223.5 | 50 x 50 | 3.5 |
| LT224.5 | 50 x 50 | 4.5 |
| LT226 | 50 x 50 | 6 |

Other sizes available on request.



Long Coupler



| Part Code | Size (mm) |
|-----------|-----------|
| LCL22 | 50 x 50 |
| LCL33 | 75 x 75 |

Fitting Suspension



| Part Code | Size (mm) | X | Y |
|-----------|-----------|----|----|
| FSL22 | 50 x 50 | 62 | 55 |
| FSL33 | 75 x 75 | 82 | 85 |

With Brass Bush and Steel Lock Nuts.

Hanger Bracket



| Part Code | W | H | X |
|-----------|-----|-----|----------|
| HBL22(X) | 85 | 55 | 10 or 20 |
| HBL33(X) | 135 | 85 | 10 or 20 |
| HBL44(X) | 165 | 115 | 10 or 20 |
| HBL66(X) | 245 | 165 | 10 or 20 |

Other sizes available on request.

Hanger Bracket (with Swing Bar)

Size 50mm x 50mm



| Part Code | W | H | X |
|------------|----|----|----------|
| HBL22SP(X) | 55 | 85 | 10 or 20 |

Galvanised Snap-In Lid



| Part Code | Size (mm) |
|-----------|-----------|
| GCL2 | 50 x 50 |

Supplied in 2m lengths.

Galvanised Steel Lid



| Part Code | Size (mm) |
|-----------|-----------|
| GSL2 | 50 |
| GSL3 | 75 |

Supplied in 3m lengths.

QuickFix Trunking

QuickFix Multi Compartment Trunking

Lighting Trunking

Uniklip Cable Tray

Speedway Cable Ladder Pre-Galv. Cable Ladder

Cable Basket Systems

Channel & Support

Floor Trunking

Bench Outlet & Perimeter Trunking

Steel Conduit (Class 4)

Innovative Design Solutions

Accessories & Supports

Index

LIGHTING TRUNKING SYSTEMS

Klik Lid Section



Part Code

KLS22

Lid only.

White Plastic Snap-In Lid



Part Code

WPL22

50

WPL33

75

Supplied in 3m lengths.

Blank End



Part Code

BEL22


50 x 50

BEL33

75 x 75

Window Beam Clamp

50mm x 50mm



Part Code

WBC22

90


103

50

Supplied with M10 x 40 CPB (Bolt).

**Stainless Steel finish trunking products are supplied with standard nuts, bolts and screwfix lid (instead of Unibolts and turnbuckle fastener lid).

SAVE TIME AND MONEY WITH UNITRUNK'S RIS RANGE



Look out for this mark
on our products.

Products marked with the RIS
(Rapid Installation System) icon
have been specifically created by
our Design team to slash the cost
and time of your installations.

Our range of fast-fitting products enable
you to complete jobs faster than before,
without compromising on Unitrunk's trusted
strength and quality.

