




Accessories



Examples of Fixed Accessories



Examples of Flat Fittings



Shaping Flat Fittings

General

Wibe Group is the only manufacturer of cable tray systems that offers installers two complete series of accessories. Wibe Group provides this service because each series of accessories has a number of unique but distinct advantages. With a well-considered choice, the installer can select the accessories that best suit their preferences.

Fixed accessories

These accessories are ready to use. They “enclose” the cable tray, which means the length material does not need to be cut as precisely, and a stable connection is guaranteed. These accessories are connected to the cable tray using screwless fastening springs (art. no. CSU08854000) or fastening screws M6x10.

Advantages of fixed accessories:

- Ready to install
- Structurally stable
- Industrial in nature
- Flat Fittings

These accessories are supplied in a flat form and must be shaped into their final form by the installer.

This offers a significant financial advantage: flat fittings are up to 20% cheaper than equivalent fixed accessories. Additionally, they take up very little space during transport and storage: flat fittings are extremely compact.

Shaping these accessories is very straightforward. First, the side walls are folded upright. The tabs along the fold line serve as “stops.” Then, the connection tabs are folded in the direction of the cable tray.

Flat fittings can be quickly and easily connected to the cable tray using coupling springs CSU08856050. Of course, it is also possible to use fastening screws M6x10 to make the connection.

Tip:


The side parts should be folded in such a way that the label with product identification is always on the inside.

Advantages of flat fittings:

- Extremely compact for transport and storage
- Smoothly rounded cable guiding surfaces
- Up to 20% cheaper than fixed accessories

Fixed accessories

Fixed Accessories


**Type****Surface treatment****Breedte****Dimension AxB (mm)****Kg / piece****Article No.****Fixed bend 90°**

For creating 90° horizontal bends. Connect to a cable duct with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.

Fixed bend 70x60	PG	70	64x273x273	0,910	CSU08611009
Fixed bend 120x60	PG	120	64x323x323	1,141	CSU08612009
Fixed bend 200x60	PG	200	64x403x403	1,720	CSU08613009
Fixed bend 250x60	PG	250	64x453x453	2,111	CSU08614009
Fixed bend 330x60	PG	330	64x533x533	2,877	CSU08615009
Fixed bend 70x60 R1013	PG + RAL1013	70	64x273x273	0,910	CSU08611019
Fixed bend 120x60 R1013	PG + RAL1013	120	64x323x323	1,141	CSU08612019
Fixed bend 200x60 R1013	PG + RAL1013	200	64x403x403	1,720	CSU08613019
Fixed bend 250x60 R1013	PG + RAL1013	250	64x453x453	2,111	CSU08614019
Fixed bend 330x60 R1013	PG + RAL1013	330	64x533x533	2,877	CSU08615019

Fixed cover bend 90°


To protect cables and prevent dust buildup. Attaches to a fixed-bend with the Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.





Fixed cover bend 70	PG	70	11x275x275	0,360	CSU08511009
Fixed cover bend 120	PG	120	11x325x325	0,614	CSU08512009
Fixed cover bend 200	PG	200	11x405x405	1,121	CSU08513009
Fixed cover bend 250	PG	250	11x455x455	1,401	CSU08514009
Fixed cover bend 330	PG	330	11x535x535	2,225	CSU08515009
Fixed cover bend 70 R1013	PG + RAL1013	70	11x275x275	0,360	CSU08511019
Fixed cover bend 120 R1013	PG + RAL1013	120	11x325x325	0,614	CSU08512019
Fixed cover bend 200 R1013	PG + RAL1013	200	11x405x405	1,121	CSU08513019
Fixed cover bend 250 R1013	PG + RAL1013	250	11x455x455	1,401	CSU08514019
Fixed cover bend 330 R1013	PG + RAL1013	330	11x535x535	2,225	CSU08515019

Fixed branching piece 90° left

For creating horizontal 90° bends on wider cable trays. Combined with the CSU089600xx coupling/reducer, it forms a complete corner connection. Connect to the cable tray with the CSU08854000 quick-release connector spring or the M6x10 mounting screw.




Fixed branching piece 90° left 400x60	PG	400	64x223x603	1,187	CSU08716209
Fixed branching piece 90° left 500x60	PG	500	64x223x703	1,387	CSU08717209
Fixed branching piece 90° left 600x60	PG	600	64x223x803	1,575	CSU08718209
Fixed branching piece 90° left 400x60 R1013	PG + RAL1013	400	64x223x603	1,187	CSU08716219
Fixed branching piece 90° left 500x60 R1013	PG + RAL1013	500	64x223x703	1,387	CSU08717219
Fixed branching piece 90° left 600x60 R1013	PG + RAL1013	600	64x223x803	1,575	CSU08718219



Fixed branching piece 90° left with coupling/reducer CSU089600xx

Fixed cover branching piece 90° left


To protect cables and prevent dust buildup. Attaches to the left corner attachment with universal cover clamp CSU08855000 or cover spring CSU76240000.





Fixed cover branching piece 90° left 400	PG	400	11x223x605	0,816	CSU08586209
Fixed cover branching piece 90° left 500	PG	500	11x223x705	0,975	CSU08587209
Fixed cover branching piece 90° left 600	PG	600	11x223x805	1,160	CSU08588209
Fixed cover branching piece 90° left 400 R1013	PG + RAL1013	400	11x223x605	1,187	CSU08586219
Fixed cover branching piece 90° left 500 R1013	PG + RAL1013	500	11x223x705	1,387	CSU08587219
Fixed cover branching piece 90° left 600 R1013	PG + RAL1013	600	11x223x805	1,575	CSU08588219

Fixed accessories


Fixed accessories




Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
Fixed branching piece 90° right					
For creating horizontal 90° bends on wider cable trays. Combined with the CSU089600xx coupling/reducer, it forms a complete corner connection. Connect to the cable tray with the CSU08854000 quick-release connector spring or the M6x10 mounting screw.					
Fixed branching piece right 400x60	PG	400	64x223x603	1,187	CSU08716409
Fixed branching piece right 500x60	PG	500	64x223x703	1,387	CSU08717409
Fixed branching piece right 600x60	PG	600	64x223x803	1,575	CSU08718409
Fixed branching piece right 400x60 R1013	PG + RAL1013	400	64x223x603	1,187	CSU08716419
Fixed branching piece right 500x60 R1013	PG + RAL1013	500	64x223x703	1,387	CSU08717419
Fixed branching piece right 600x60 R1013	PG + RAL1013	600	64x223x803	1,575	CSU08718419




Fixed branching piece 90° right with coupling/reducer CSU089600xx




Fixed cover branching piece 90° right					
To protect cables and prevent dust buildup. Attaches to the right-hand corner attachment with universal cover clip CSU 08855000 or Cover clamp captive CSU76240000.					
Fixed cover branching piece right 400	PG	400	11x223x605	0,816	CSU08586409
Fixed cover branching piece right 500	PG	500	11x223x705	0,975	CSU08587409
Fixed cover branching piece right 600	PG	600	11x223x805	1,160	CSU08588409
Fixed cover branching piece right 400 R1013	PG + RAL1013	400	11x223x605	1,187	CSU08586419
Fixed cover branching piece right 500 R1013	PG + RAL1013	500	11x223x705	1,387	CSU08587419
Fixed cover branching piece right 600 R1013	PG + RAL1013	600	11x223x805	1,575	CSU08588419



Fixed adjustable bend					
For creating horizontal bends at variable angles. Adjustment range: 45°-90°. Connects to cable ducts with quick-release Connector spring CSU08854000 or M6x10 mounting screw.					
Fixed adjustable bend 70x60	PG	70	56x64x450	0,195	CSU08731009
Fixed adjustable bend 120x60	PG	120	56x114x450	0,348	CSU08732009
Fixed adjustable bend 200x60	PG	200	56x194x850	0,742	CSU08733009
Fixed adjustable bend 250x60	PG	250	56x244x850	0,884	CSU08734009
Fixed adjustable bend 70x60 R1013	PG + RAL1013	70	56x64x450	0,195	CSU08731019
Fixed adjustable bend 120x60 R1013	PG + RAL1013	120	56x114x450	0,348	CSU08732019
Fixed adjustable bend 200x60 R1013	PG + RAL1013	200	56x194x850	0,742	CSU08733019
Fixed adjustable bend 250x60 R1013	PG + RAL1013	250	56x244x850	0,884	CSU08734019



Make a V-shaped cutout at the bend



Place the Fixed adjustable bend on the inside of the cable tray.

Fixed accessories



Fixed accessories

Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
------	-------------------	---------	--------------------	------------	-------------



Stop end/universal reducer piece

Combined with a left or right branching piece, it forms a complete corner joint. It can also be used as a symmetrical or asymmetrical reducer. See the installation instructions for more details. Reducing is also possible with adapters; see elsewhere in this chapter.



Stop end/universal reducer piece 605	PG	70-330	64x10x605	0,325	CSU08940000
Stop end/universal reducer piece 957	PG	70-600	64x10x957	0,455	CSU08960000
Stop end/universal reducer piece 605 R1013	PG + RAL1013	70-330	64x10x605	0,325	CSU08940010
Stop end/universal reducer piece 957 R1013	PG + RAL1013	70-600	64x10x957	0,455	CSU08960010



Complete corner connection Stop end/universal reducer piece CSU089600xx with branching piece 90° left or right



Asymmetric reduction with Stop end/universal reducer piece CSU089600xx and Side Joint CSU08010000



Symmetrical reduction with 2 Stop end/universal reducer pieces CSU089400xx

Fixed T-piece

For creating right-angled branches of equal width. Attach to the cable duct with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.

Fixed T-piece 70x60	PG	70	64x273x473	1,050	CSU08621009
Fixed T-piece 120x60	PG	120	64x323x523	1,435	CSU08622009
Fixed T-piece 200x60	PG	200	64x403x603	2,129	CSU08623009
Fixed T-piece 250x60	PG	250	64x453x653	2,589	CSU08624009
Fixed T-piece 330x60	PG	330	64x533x733	3,325	CSU08625009
Fixed T-piece 70x60 R1013	PG + RAL1013	70	64x273x473	1,050	CSU08621019
Fixed T-piece 120x60 R1013	PG + RAL1013	120	64x323x523	1,435	CSU08622019
Fixed T-piece 200x60 R1013	PG + RAL1013	200	65x403x603	2,129	CSU08623019
Fixed T-piece 250x60 R1013	PG + RAL1013	250	64x453x653	2,589	CSU08624019
Fixed T-piece 330x60 R1013	PG + RAL1013	330	64x533x733	3,325	CSU08625019


Fixed cover T-piece

To protect cables and prevent dust buildup. Attaches to a T-piece with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Fixed cover T-piece 70	PG	70	11x273x473	0,555	CSU08521009
Fixed cover T-piece 120	PG	120	11x323x523	0,842	CSU08522009
Fixed cover T-piece 200	PG	200	11x403x603	1,404	CSU08523009
Fixed cover T-piece 250	PG	250	11x453x653	1,892	CSU08524009
Fixed cover T-piece 330	PG	330	11x533x733	2,497	CSU08525009
Fixed cover T-piece 70 R1013	PG + RAL1013	70	11x273x473	0,555	CSU08521019
Fixed cover T-piece 120 R1013	PG + RAL1013	120	11x323x523	0,842	CSU08522019
Fixed cover T-piece 200 R1013	PG + RAL1013	200	11x403x603	1,404	CSU08523019
Fixed cover T-piece 250 R1013	PG + RAL1013	250	11x453x653	1,892	CSU08524019
Fixed cover T-piece 330 R1013	PG + RAL1013	330	11x533x733	2,497	CSU08525019

Fixed accessories

Fixed accessories



Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg /piece	Article No.
------	-------------------	---------	--------------------	-----------	-------------

Fixed X-piece

For creating crossings of equal width. Connect to cable duct with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.

Fixed X-piece 70x60	PG	70	64x473x473	1,451	CSU08631009
Fixed X-piece 120x60	PG	120	64x523x523	1,861	CSU08632009
Fixed X-piece 200x60	PG	200	64x603x603	2,547	CSU08633009
Fixed X-piece 250x60	PG	250	64x653x653	3,081	CSU08634009
Fixed X-piece 330x60	PG	330	64x733x733	4,000	CSU08635009

Fixed X-piece 70x60 R1013	PG + RAL1013	70	64x473x473	1,451	CSU08631019
Fixed X-piece 120x60 R1013	PG + RAL1013	120	64x523x523	1,861	CSU08632019
Fixed X-piece 200x60 R1013	PG + RAL1013	200	64x603x603	2,547	CSU08633019
Fixed X-piece 250x60 R1013	PG + RAL1013	250	64x653x653	3,081	CSU08634019
Fixed X-piece 330x60 R1013	PG + RAL1013	330	64x733x733	4,000	CSU08635019

Fixed cover X-piece

To protect cables and prevent dust buildup. Attach to the X-piece with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Fixed cover X-piece 70x60	PG	70	11x473x473	0,761	CSU08531009
Fixed cover X-piece 120x60	PG	120	11x523x523	1,167	CSU08532009
Fixed cover X-piece 200x60	PG	200	11x603x603	1,906	CSU08533009
Fixed cover X-piece 250x60	PG	250	11x653x653	2,411	CSU08534009
Fixed cover X-piece 330x60	PG	330	11x733x733	3,300	CSU08535009


Fixed cover X-piece 70x60 R1013	PG + RAL1013	70	11x473x473	0,761	CSU08531019
Fixed cover X-piece 120x60 R1013	PG + RAL1013	120	11x523x523	1,167	CSU08532019
Fixed cover X-piece 200x60 R1013	PG + RAL1013	200	11x603x603	1,906	CSU08533019
Fixed cover X-piece 250x60 R1013	PG + RAL1013	250	11x653x653	2,411	CSU08534019
Fixed cover X-piece 330x60 R1013	PG + RAL1013	330	11x733x733	3,300	CSU08535019

Fixed branching piece

For creating right-angled branches of unequal width. Cut out the cable duct on-site. Attach to the cable duct with quick-release Connector spring CSU08854000 or M6x10 mounting screw.

Fixed branching piece 70x60	PG	70	64x473x210	0,747	CSU08711009
Fixed branching piece 120x60	PG	120	64x523x210	0,838	CSU08712009
Fixed branching piece 200x60	PG	200	64x603x210	0,984	CSU08713009
Fixed branching piece 250x60	PG	250	64x653x210	1,097	CSU08714009
Fixed branching piece 330x60	PG	330	64x733x210	1,212	CSU08715009
Fixed branching piece 400x60	PG	400	64x803x210	1,398	CSU08716009
Fixed branching piece 500x60	PG	500	64x903x210	1,572	CSU08717009
Fixed branching piece 600x60	PG	600	64x1003x210	1,767	CSU08718009

Fixed branching piece 70x60 R1013	PG + RAL1013	70	64x473x210	0,747	CSU08711019
Fixed branching piece 120x60 R1013	PG + RAL1013	120	64x523x210	0,838	CSU08712019
Fixed branching piece 200x60 R1013	PG + RAL1013	200	64x603x210	0,984	CSU08713019
Fixed branching piece 250x60 R1013	PG + RAL1013	250	64x653x210	1,097	CSU08714019
Fixed branching piece 330x60 R1013	PG + RAL1013	330	64x733x210	1,212	CSU08715019
Fixed branching piece 400x60 R1013	PG + RAL1013	400	64x803x210	1,398	CSU08716019
Fixed branching piece 500x60 R1013	PG + RAL1013	500	64x903x210	1,572	CSU08717019
Fixed branching piece 600x60 R1013	PG + RAL1013	600	64x1003x210	1,767	CSU08718019




Fixed accessories

Fixed accessories

Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg /piece	Article No.
------	-------------------	---------	--------------------	-----------	-------------

Fixed cover branching piece

To protect cables and prevent dust buildup. Attaches to an attachment with the Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.




Fixed cover branching piece 70	PG	70	11x475x210	0,328	CSU08581009
Fixed cover branching piece 120	PG	120	11x525x210	0,410	CSU08582009
Fixed cover branching piece 200	PG	200	11x605x210	0,566	CSU08583009
Fixed cover branching piece 250	PG	250	11x655x210	0,639	CSU08584009
Fixed cover branching piece 330	PG	330	11x735x210	0,795	CSU08585009
Fixed cover branching piece 400	PG	400	11x805x210	0,896	CSU08586009
Fixed cover branching piece 500	PG	500	11x905x210	1,096	CSU08587009
Fixed cover branching piece 600	PG	600	11x1005x210	1,251	CSU08588009

Fixed cover branching piece 70 R1013	PG + RAL1013	70	11x475x210	0,328	CSU08581019
Fixed cover branching piece 120 R1013	PG + RAL1013	120	11x525x210	0,410	CSU08582019
Fixed cover branching piece 200 R1013	PG + RAL1013	200	11x605x210	0,566	CSU08583019
Fixed cover branching piece 250 R1013	PG + RAL1013	250	11x655x210	0,639	CSU08584019
Fixed cover branching piece 330 R1013	PG + RAL1013	330	11x735x210	0,795	CSU08585019
Fixed cover branching piece 400 R1013	PG + RAL1013	400	11x805x210	0,896	CSU08586019
Fixed cover branching piece 500 R1013	PG + RAL1013	500	11x905x210	1,096	CSU08587019
Fixed cover branching piece 600 R1013	PG + RAL1013	600	11x1005x210	1,251	CSU08588019

Fixed channel attachment

For creating right-angled branches on cable trays. Attach to the cable tray with an M6x10 mounting screw.




Fixed channel attachment 70	PG	70	116x72x180	0,326	CSU08741000
Fixed channel attachment 120	PG	120	116x122x180	0,439	CSU08742000
Fixed channel attachment 200	PG	200	116x202x180	0,621	CSU08743000
Fixed channel attachment 250	PG	250	116x252x180	0,676	CSU08744000

Fixed channel attachment 70 R1013	PG + RAL1013	70	116x72x180	0,326	CSU08741010
Fixed channel attachment 120 R1013	PG + RAL1013	120	116x122x180	0,439	CSU08742010
Fixed channel attachment 200 R1013	PG + RAL1013	200	116x202x180	0,621	CSU08743010
Fixed channel attachment 250 R1013	PG + RAL1013	250	116x252x180	0,676	CSU08744010

Fixed reducer piece

For symmetrically reducing cable ducts. Attach to the cable duct with quick-release Connector spring CSU08854000 or with M6x10 mounting screw. Reducers can also be assembled with couplings/reducers; see elsewhere in this chapter.



Fixed reducer piece 70-120x60	PG	70-120	64x123x269	0,381	CSU08222009
Fixed reducer piece 70-200x60	PG	70-200	64x203x269	0,585	CSU08223009
Fixed reducer piece 70-250x60	PG	70-250	64x253x269	0,725	CSU08224009
Fixed reducer piece 120-200x60	PG	120-200	64x203x269	0,530	CSU08233009
Fixed reducer piece 120-250x60	PG	120-250	64x253x269	0,829	CSU08234009
Fixed reducer piece 200-250x60	PG	200-250	64x253x269	0,720	CSU08244009

Fixed reducer piece 70-120x60 R1013	PG + RAL1013	70-120	64x123x269	0,381	CSU08222019
Fixed reducer piece 70-200x60 R1013	PG + RAL1013	70-200	64x203x269	0,585	CSU08223019
Fixed reducer piece 70-250x60 R1013	PG + RAL1013	70-250	64x253x269	0,725	CSU08224019
Fixed reducer piece 120-200x60 R1013	PG + RAL1013	120-200	64x203x269	0,530	CSU08233019
Fixed reducer piece 120-250x60 R1013	PG + RAL1013	120-250	64x253x269	0,829	CSU08234019
Fixed reducer piece 200-250x60 R1013	PG + RAL1013	200-250	64x253x269	0,720	CSU08244019


Fixed accessories

Fixed accessories

Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg /piece	Article No.
------	-------------------	---------	--------------------	-----------	-------------

Fixed cover reducer piece


To protect cables and prevent dust buildup. Attach to the reducer piece using the Universal cover clip CSU08855000 or the Cover clamp captive CSU76240000.



Fixed cover reducer piece 70-120	PG	70-120	11x126x269	0,216	CSU08322009
Fixed cover reducer piece 70-200	PG	70-200	11x206x269	0,359	CSU08323009
Fixed cover reducer piece 70-250	PG	70-250	11x256x269	0,400	CSU08324009
Fixed cover reducer piece 120-200	PG	120-200	11x206x269	0,463	CSU08333009
Fixed cover reducer piece 120-250	PG	120-250	11x256x269	0,467	CSU08334009
Fixed cover reducer piece 200-250	PG	200-250	11x256x269	0,500	CSU08344009
Fixed cover reducer piece 70-120 R1013	PG + RAL1013	70-120	11x126x269	0,216	CSU08322019
Fixed cover reducer piece 70-200 R1013	PG + RAL1013	70-200	11x206x269	0,359	CSU08323019
Fixed cover reducer piece 70-250 R1013	PG + RAL1013	70-250	11x256x269	0,400	CSU08324019
Fixed cover reducer piece 120-200 R1013	PG + RAL1013	120-200	11x206x269	0,463	CSU08333019
Fixed cover reducer piece 120-250 R1013	PG + RAL1013	120-250	11x256x269	0,467	CSU08334019
Fixed cover reducer piece 200-250 R1013	PG + RAL1013	200-250	11x256x269	0,500	CSU08344019

Fixed internal riser


For creating vertical 90° riser bends. Attach to the cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.



Fixed internal riser 70x60	PG	70	283x73x283	0,799	CSU08641009
Fixed internal riser 120x60	PG	120	283x123x283	0,975	CSU08642009
Fixed internal riser 200x60	PG	200	283x203x283	1,288	CSU08643009
Fixed internal riser 250x60	PG	250	283x253x283	1,470	CSU08644009
Fixed internal riser 330x60	PG	330	283x333x283	1,735	CSU08645009
Fixed internal riser 400x60	PG	400	283x403x283	1,985	CSU08646109
Fixed internal riser 500x60	PG	500	283x503x283	2,296	CSU08647109
Fixed internal riser 600x60	PG	600	283x603x283	2,616	CSU08648109
Fixed internal riser 70x60 R1013	PG + RAL1013	70	283x73x283	0,799	CSU08641019
Fixed internal riser 120x60 R1013	PG + RAL1013	120	283x123x283	0,975	CSU08642019
Fixed internal riser 200x60 R1013	PG + RAL1013	200	283x203x283	1,288	CSU08643019
Fixed internal riser 250x60 R1013	PG + RAL1013	250	283x253x283	1,470	CSU08644019
Fixed internal riser 330x60 R1013	PG + RAL1013	330	283x333x283	1,735	CSU08645019
Fixed internal riser 400x60 R1013	PG + RAL1013	400	283x403x283	1,985	CSU08646119
Fixed internal riser 500x60 R1013	PG + RAL1013	500	283x503x283	2,296	CSU08647119
Fixed internal riser 600x60 R1013	PG + RAL1013	600	283x603x283	2,616	CSU08648119

Fixed cover internal riser


To protect cables and prevent dust buildup. Attach to the riser with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.



Fixed cover internal riser 70	PG	70	219x75x219	0,314	CSU08541009
Fixed cover internal riser 120	PG	120	219x125x219	0,497	CSU08542009
Fixed cover internal riser 200	PG	200	219x205x219	0,703	CSU08543009
Fixed cover internal riser 250	PG	250	219x255x219	1,026	CSU08544009
Fixed cover internal riser 330	PG	330	219x335x219	1,230	CSU08545009
Fixed cover internal riser 400	PG	400	219x405x219	1,417	CSU08546109
Fixed cover internal riser 500	PG	500	219x505x219	1,931	CSU08547109
Fixed cover internal riser 600	PG	600	219x605x219	2,498	CSU08548109
Fixed cover internal riser 70 R1013	PG + RAL1013	70	219x75x219	0,314	CSU08541019
Fixed cover internal riser 120 R1013	PG + RAL1013	120	219x125x219	0,497	CSU08542019
Fixed cover internal riser 200 R1013	PG + RAL1013	200	219x205x219	0,703	CSU08543019
Fixed cover internal riser 250 R1013	PG + RAL1013	250	219x255x219	1,026	CSU08544019
Fixed cover internal riser 330 R1013	PG + RAL1013	330	219x335x219	1,230	CSU08545019
Fixed cover internal riser 400 R1013	PG + RAL1013	400	219x405x219	1,417	CSU08546119
Fixed cover internal riser 500 R1013	PG + RAL1013	500	219x505x219	1,931	CSU08547119
Fixed cover internal riser 600 R1013	PG + RAL1013	600	219x605x219	2,498	CSU08548119

Fixed accessories

Fixed accessories



Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
------	-------------------	---------	--------------------	------------	-------------

Fixed external riser


For creating vertical 90° angle bends. Attach to the cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.

Fixed external riser 70x60	PG	70	283x73x283	0,745	CSU08661009
Fixed external riser 120x60	PG	120	283x123x283	0,882	CSU08662009
Fixed external riser 200x60	PG	200	283x203x283	1,134	CSU08663009
Fixed external riser 250x60	PG	250	283x253x283	1,277	CSU08664009
Fixed external riser 330x60	PG	330	283x333x283	1,480	CSU08665009
Fixed external riser 400x60	PG	400	283x403x283	1,676	CSU08666109
Fixed external riser 500x60	PG	500	283x503x283	1,907	CSU08667109
Fixed external riser 600x60	PG	600	283x603x283	2,153	CSU08668109

Fixed external riser 70x60 R1013	PG + RAL1013	70	283x73x283	0,745	CSU08661019
Fixed external riser 120x60 R1013	PG + RAL1013	120	283x123x283	0,882	CSU08662019
Fixed external riser 200x60 R1013	PG + RAL1013	200	283x203x283	1,134	CSU08663019
Fixed external riser 250x60 R1013	PG + RAL1013	250	283x253x283	1,277	CSU08664019
Fixed external riser 330x60 R1013	PG + RAL1013	330	283x333x283	1,480	CSU08665019
Fixed external riser 400x60 R1013	PG + RAL1013	400	283x403x283	1,676	CSU08666119
Fixed external riser 500x60 R1013	PG + RAL1013	500	283x503x283	1,907	CSU08667119
Fixed external riser 600x60 R1013	PG + RAL1013	600	283x603x283	2,153	CSU08668119

Fixed cover external riser

To protect cables and prevent dust buildup. Attach to the riser piece with the Universal cover clamp CSU08855000 or Cover clamp captive CSU76240000.




Fixed cover external riser 70	PG	70	283x75x219	0,370	CSU08561009
Fixed cover external riser 120	PG	120	283x125x219	0,568	CSU08562009
Fixed cover external riser 200	PG	200	283x205x219	0,888	CSU08563009
Fixed cover external riser 250	PG	250	283x255x219	1,086	CSU08564009
Fixed cover external riser 330	PG	330	283x335x219	1,406	CSU08565009
Fixed cover external riser 400	PG	400	283x405x219	1,681	CSU08566109
Fixed cover external riser 500	PG	500	283x505x219	2,078	CSU08567109
Fixed cover external riser 600	PG	600	283x605x219	2,475	CSU08568109

Fixed cover external riser 70 R1013	PG + RAL1013	70	283x75x219	0,370	CSU08561019
Fixed cover external riser 120 R1013	PG + RAL1013	120	283x125x219	0,568	CSU08562019
Fixed cover external riser 200 R1013	PG + RAL1013	200	283x205x219	0,888	CSU08563019
Fixed cover external riser 250 R1013	PG + RAL1013	250	283x255x219	1,086	CSU08564019
Fixed cover external riser 330 R1013	PG + RAL1013	330	283x335x219	1,406	CSU08565019
Fixed cover external riser 400 R1013	PG + RAL1013	400	283x405x219	1,681	CSU08566119
Fixed cover external riser 500 R1013	PG + RAL1013	500	283x505x219	2,078	CSU08567119
Fixed cover external riser 600 R1013	PG + RAL1013	600	283x605x219	2,475	CSU08568119

Adjustable external hinge coupler


For creating horizontal offsets and variable slope and rise angles. Connect to cable tray with M6x10 mounting screw. Supplied as a set of two. Adjustment range: 2x90°.



Adjustable external hinge coupler	PG	70-600	11x64x234	0,220	CSU08750000
Adjustable external hinge coupler R1013	PG + RAL1013	70-600	11x64x234	0,220	CSU08750010

Fixed accessories

Fixed accessories



Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
------	-------------------	---------	--------------------	------------	-------------

Fixed vertical T-piece


For creating vertical branches in horizontal cable trays of equal width. Connect to the cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.

Fixed vertical T-piece 70x60	PG	70	263x73x503	1,323	CSU08701009
Fixed vertical T-piece 120x60	PG	120	263x123x503	1,607	CSU08702009
Fixed vertical T-piece 200x60	PG	200	263x203x503	2,061	CSU08703009
Fixed vertical T-piece 250x60	PG	250	263x253x503	2,348	CSU08704009
Fixed vertical T-piece 330x60	PG	330	263x333x503	2,807	CSU08705009

Fixed vertical T-piece 70x60 R1013	PG + RAL1013	70	263x73x503	1,323	CSU08701019
Fixed vertical T-piece 120x60 R1013	PG + RAL1013	120	263x123x503	1,607	CSU08702019
Fixed vertical T-piece 200x60 R1013	PG + RAL1013	200	263x203x503	2,061	CSU08703019
Fixed vertical T-piece 250x60 R1013	PG + RAL1013	250	263x253x503	2,348	CSU08704019
Fixed vertical T-piece 330x60 R1013	PG + RAL1013	330	263x333x503	2,807	CSU08705019

Fixed vertical wall piece

For creating vertical branches along walls in horizontal cable trays of equal or narrower width. Connect to the cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw. The cover is secured with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.



Fixed vertical wall piece 70-70x60	PG	70	293x73x476	1,345	CSU08721209
Fixed vertical wall piece 120-70x60	PG	120	293x123x526	1,564	CSU08722209
Fixed vertical wall piece 200-70x60	PG	200	293x203x606	1,873	CSU08723209
Fixed vertical wall piece 250-70x60	PG	250	293x253x656	2,092	CSU08724209
Fixed vertical wall piece 330-70x60	PG	330	293x333x736	2,498	CSU08725209

Fixed vertical wall piece 120-120x60	PG	120	293x123x476	1,811	CSU08722409
Fixed vertical wall piece 200-120x60	PG	200	293x203x526	2,115	CSU08723409
Fixed vertical wall piece 250-120x60	PG	250	293x253x606	2,334	CSU08724409
Fixed vertical wall piece 330-120x60	PG	330	293x333x656	2,641	CSU08725409

Fixed vertical wall piece 200-200x60	PG	200	293x203x526	2,568	CSU08723609
Fixed vertical wall piece 250-200x60	PG	250	293x253x606	2,789	CSU08724609
Fixed vertical wall piece 330-200x60	PG	330	293x333x656	3,069	CSU08725609
Fixed vertical wall piece 250-250x60	PG	250	293x253x606	3,231	CSU08724809
Fixed vertical wall piece 330-250x60	PG	330	293x333x656	3,537	CSU08725809
Fixed vertical wall piece 330-330x60	PG	330	293x333x656	3,787	CSU08725009


Fixed vertical wall piece 70-70x60 R1013	PG + RAL1013	70	293x73x476	1,345	CSU08721219
Fixed vertical wall piece 120-70x60 R1013	PG + RAL1013	120	293x123x526	1,564	CSU08722219
Fixed vertical wall piece 200-70x60 R1013	PG + RAL1013	200	293x203x606	1,873	CSU08723219
Fixed vertical wall piece 250-70x60 R1013	PG + RAL1013	250	293x253x656	2,092	CSU08724219
Fixed vertical wall piece 330-70x60 R1013	PG + RAL1013	330	293x333x736	2,498	CSU08725219

Fixed vertical wall piece 120-120x60 R1013	PG + RAL1013	120	293x123x476	1,811	CSU08722419
Fixed vertical wall piece 200-120x60 R1013	PG + RAL1013	200	293x203x526	2,115	CSU08723419
Fixed vertical wall piece 250-120x60 R1013	PG + RAL1013	250	293x253x606	2,334	CSU08724419
Fixed vertical wall piece 330-120x60 R1013	PG + RAL1013	330	293x333x656	2,641	CSU08725419

Fixed vertical wall piece 200-200x60 R1013	PG + RAL1013	200	293x203x526	2,568	CSU08723619
Fixed vertical wall piece 250-200x60 R1013	PG + RAL1013	250	293x253x606	2,789	CSU08724619
Fixed vertical wall piece 330-200x60 R1013	PG + RAL1013	330	293x333x656	3,069	CSU08725619
Fixed vertical wall piece 250-250x60 R1013	PG + RAL1013	250	293x253x606	3,231	CSU08724819
Fixed vertical wall piece 330-250x60 R1013	PG + RAL1013	330	293x333x656	3,537	CSU08725819
Fixed vertical wall piece 330-330x60 R1013	PG + RAL1013	330	293x333x656	3,787	CSU08725019

Fixed accessories

Fixed accessories



Type	Surface treatment	Breedte	Dimension AxB (mm) 	Kg /piece	Article No.
End plate closed					
For correctly finishing cable tray end pieces. Supplied flat; fold the side tabs before installation. Connect to cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.					
End plate closed 70x60	PG	70	11x64x202	0,137	CSU36180704
End plate closed 120x60	PG	120	11x64x252	0,170	CSU36181204
End plate closed 200x60	PG	200	11x64x332	0,222	CSU36182004
End plate closed 250x60	PG	250	11x64x382	0,254	CSU36182504
End plate closed 330x60	PG	330	11x64x462	0,306	CSU36183304
End plate closed 400x60	PG	400	11x64x532	0,352	CSU36184004
End plate closed 500x60	PG	500	11x64x632	0,417	CSU36185004
End plate closed 600x60	PG	600	11x64x732	0,482	CSU36186004
End plate closed 70x60 R1013	PG + RAL1013	70	11x64x202	0,137	CSU36180714
End plate closed 120x60 R1013	PG + RAL1013	120	11x64x252	0,170	CSU36181214
End plate closed 200x60 R1013	PG + RAL1013	200	11x64x332	0,222	CSU36182014
End plate closed 250x60 R1013	PG + RAL1013	250	11x64x382	0,254	CSU36182514
End plate closed 330x60 R1013	PG + RAL1013	330	11x64x462	0,306	CSU36183314
End plate closed 400x60 R1013	PG + RAL1013	400	11x64x532	0,352	CSU36184014
End plate closed 500x60 R1013	PG + RAL1013	500	11x64x632	0,417	CSU36185014
End plate closed 600x60 R1013	PG + RAL1013	600	11x64x732	0,482	CSU36186014