



Flat fittings


Flat fittings




Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
Corner piece 90°					
For creating horizontal 90° bends. Supplied flat, it must be bent into shape before installation. Mount to the cable tray with Fixing Clip for Flat form pieces CSU08856050 or with mounting screw M6x10.					
Corner piece 70x60	PG	70	14x318x318	0,440	CSU36060702
Corner piece 120x60	PG	120	14x368x368	0,614	CSU36061202
Corner piece 200x60	PG	200	14x448x448	0,958	CSU36062002
Corner piece 250x60	PG	250	14x498x498	1,215	CSU36062502
Corner piece 330x60	PG	330	14x578x578	1,693	CSU36063302
Corner piece 70x60 R1013	PG + RAL1013	70	14x318x318	0,440	CSU36060712
Corner piece 120x60 R1013	PG + RAL1013	120	14x368x368	0,614	CSU36061212
Corner piece 200x60 R1013	PG + RAL1013	200	14x448x448	0,958	CSU36062012
Corner piece 250x60 R1013	PG + RAL1013	250	14x498x498	1,215	CSU36062512
Corner piece 330x60 R1013	PG + RAL1013	330	14x578x578	1,693	CSU36063312



Cover corner piece 90°					
To protect cables and prevent dust buildup. Mount on a corner piece with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.					
Cover corner piece 70	PG	70	11x170x170	0,177	CSU30060702
Cover corner piece 120	PG	120	11x220x220	0,306	CSU30061202
Cover corner piece 200	PG	200	11x300x300	0,580	CSU30062002
Cover corner piece 250	PG	250	11x350x350	0,792	CSU30062502
Cover corner piece 330	PG	330	11x430x430	1,199	CSU30063302
Cover corner piece 70 R1013	PG + RAL1013	70	11x170x170	0,177	CSU30060712
Cover corner piece 120 R1013	PG + RAL1013	120	11x220x220	0,306	CSU30061212
Cover corner piece 200 R1013	PG + RAL1013	200	11x300x300	0,580	CSU30062012
Cover corner piece 250 R1013	PG + RAL1013	250	11x350x350	0,792	CSU30062512
Cover corner piece 330 R1013	PG + RAL1013	330	11x430x430	1,199	CSU30063312




Flat adjustable bend					
For creating horizontal bends at variable angles. Supplied flat, it must be bent into shape before installation. Mount to cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw. Adjustment range: 45°-90°.					
Flat adjustable bend 70x60	PG	70	10x350x179	0,243	CSU36520702
Flat adjustable bend 120x60	PG	120	10x430x259	0,346	CSU36521202
Flat adjustable bend 200x60	PG	200	10x600x309	0,600	CSU36522002
Flat adjustable bend 250x60	PG	250	10x680x359	0,765	CSU36522502
Flat adjustable bend 330x60	PG	330	10x820x439	1,112	CSU36523302
Flat adjustable bend 70x60	PG + RAL1013	70	10x350x179	0,243	CSU36520712
Flat adjustable bend 120x60	PG + RAL1013	120	10x430x259	0,346	CSU36521212
Flat adjustable bend 200x60	PG + RAL1013	200	10x600x309	0,600	CSU36522012
Flat adjustable bend 250x60	PG + RAL1013	250	10x680x359	0,765	CSU36522512
Flat adjustable bend 330x60	PG + RAL1013	330	10x820x439	1,112	CSU36523312




T-piece					
For creating right-angled branches of equal width. Supplied flat, it must be bent into shape before installation. Mount to the cable tray with Fixing Clip for Flat form pieces CSU08856050 or with an M6x10 mounting screw.					
T-piece 70x60	PG	70	14x451x317	0,592	CSU36150702
T-piece 120x60	PG	120	14x501x367	0,780	CSU36151202
T-piece 200x60	PG	200	14x581x447	1,148	CSU36152002
T-piece 250x60	PG	250	14x631x497	1,420	CSU36152502
T-piece 330x60	PG	330	14x711x577	1,922	CSU36153302
T-piece 70x60 R1013	PG + RAL1013	70	14x451x317	0,592	CSU36150712
T-piece 120x60 R1013	PG + RAL1013	120	14x501x367	0,780	CSU36151212
T-piece 200x60 R1013	PG + RAL1013	200	14x581x447	1,148	CSU36152012
T-piece 250x60 R1013	PG + RAL1013	250	14x631x497	1,420	CSU36152512
T-piece 330x60 R1013	PG + RAL1013	330	14x711x577	1,922	CSU36153312

Flat fittings


Flat fittings




Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg /piece	Article No.
T-piece Cover					
To protect cables and prevent dust buildup. Mount on a T-piece with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.					
T-piece Cover 70	PG	70	11x270x170	0,255	CSU30150702
T-piece Cover 120	PG	120	11x320x220	0,413	CSU30151202
T-piece Cover 200	PG	200	11x400x300	0,732	CSU30152002
T-piece Cover 250	PG	250	11x450x350	0,973	CSU30152502
T-piece Cover 330	PG	330	11x530x430	1,425	CSU30153302
T-piece Cover 70 R1013	PG + RAL1013	70	11x270x170	0,255	CSU30150712
T-piece Cover 120 R1013	PG + RAL1013	120	11x320x220	0,413	CSU30151212
T-piece Cover 200 R1013	PG + RAL1013	200	11x400x300	0,732	CSU30152012
T-piece Cover 250 R1013	PG + RAL1013	250	11x450x350	0,973	CSU30152512
T-piece Cover 330 R1013	PG + RAL1013	330	11x530x430	1,425	CSU30153312



X-Piece					
For creating crossings of equal width. Supplied flat, it must be bent into shape before installation. Mount to the cable tray with Fixing Clip for Flat form pieces CSU08856050 or with mounting screw M6x10.					
X-Piece 70x60	PG	70	14x349x349	0,755	CSU36160702
X-Piece 120x60	PG	120	14x419x419	0,958	CSU36161202
X-Piece 200x60	PG	200	14x532x532	1,349	CSU36162002
X-Piece 250x60	PG	250	14x602x602	1,635	CSU36162502
X-Piece 330x60	PG	330	14x715x715	2,160	CSU36163302
X-Piece 70x60 R1013	PG + RAL1013	70	14x349x349	0,755	CSU36160712
X-Piece 120x60 R1013	PG + RAL1013	120	14x419x419	0,958	CSU36161212
X-Piece 200x60 R1013	PG + RAL1013	200	14x532x532	1,349	CSU36162012
X-Piece 250x60 R1013	PG + RAL1013	250	14x602x602	1,635	CSU36162512
X-Piece 330x60 R1013	PG + RAL1013	330	14x715x715	2,160	CSU36163312



Cover X-piece					
To protect cables and prevent dust buildup. Mount on the X-piece with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.					
Cover X-piece 70x60	PG	70	11x270x270	0,361	CSU30160702
Cover X-piece 120x60	PG	120	11x320x320	0,547	CSU30161202
Cover X-piece 200x60	PG	200	11x400x400	0,911	CSU30162002
Cover X-piece 250x60	PG	250	11x450x450	1,181	CSU30162502
Cover X-piece 330x60	PG	330	11x530x530	1,617	CSU30163302
Cover X-piece 70x60 R1013	PG + RAL1013	70	11x270x270	0,361	CSU30160712
Cover X-piece 120x60 R1013	PG + RAL1013	120	11x320x320	0,547	CSU30161212
Cover X-piece 200x60 R1013	PG + RAL1013	200	11x400x400	0,911	CSU30162012
Cover X-piece 250x60 R1013	PG + RAL1013	250	11x450x450	1,181	CSU30162512
Cover X-piece 330x60 R1013	PG + RAL1013	330	11x530x530	1,617	CSU30163312



Branching Piece					
For creating right-angled branches with unequal widths. Cut out the cable tray on-site. Supplied flat, it must be bent into shape before installation. Mount to the cable tray with Fixing Clip for Flat form pieces CSU08856050 or with an M6x10 mounting screw.					
Branching Piece 70x60	PG	70	14x444x223	0,337	CSU36070702
Branching Piece 120x60	PG	120	14x494x223	0,380	CSU36071202
Branching Piece 200x60	PG	200	14x574x223	0,445	CSU36072002
Branching Piece 250x60	PG	250	14x624x223	0,486	CSU36072502
Branching Piece 330x60	PG	330	14x704x704	0,552	CSU36073302
Branching Piece 70x60 R1013	PG + RAL1013	70	14x444x223	0,337	CSU36070712
Branching Piece 120x60 R1013	PG + RAL1013	120	14x494x223	0,380	CSU36071212
Branching Piece 200x60 R1013	PG + RAL1013	200	14x574x223	0,445	CSU36072012
Branching Piece 250x60 R1013	PG + RAL1013	250	14x624x223	0,486	CSU36072512
Branching Piece 330x60 R1013	PG + RAL1013	330	14x704x704	0,552	CSU36073312

Flat fittings


Flat fittings

Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
Branching Piece Cover					
To protect cables and prevent dust buildup. Mount on an attachment with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.					
Branching Piece Cover 70	PG	70	11x270x100	0,337	CSU30070702
Branching Piece Cover 120	PG	120	11x320x100	0,380	CSU30071202
Branching Piece Cover 200	PG	200	11x400x100	0,445	CSU30072002
Branching Piece Cover 250	PG	250	11x450x100	0,486	CSU30072502
Branching Piece Cover 330	PG	330	11x530x100	0,552	CSU30073302
Branching Piece Cover 70 R1013	PG + RAL1013	70	11x270x100	0,337	CSU30070702
Branching Piece Cover 120 R1013	PG + RAL1013	120	11x320x100	0,380	CSU30071202
Branching Piece Cover 200 R1013	PG + RAL1013	200	11x400x100	0,445	CSU30072002
Branching Piece Cover 250 R1013	PG + RAL1013	250	11x450x100	0,486	CSU30072502
Branching Piece Cover 330 R1013	PG + RAL1013	330	11x530x100	0,552	CSU30073302


Universal Angle Connector

For making all horizontal corner, T-, and X-connections. For 90° corner connections, use with Stop end/universal reducer piece CSU08940000 or CSU08960000. Supplied flat; must be bent into shape before installation. Mount to cable tray with Fixing Clip for Flat form pieces CSU08856050 or with M6x10 mounting screw.


Universal Angle Connector	PG		14x297x142	0,147	CSU36110002
Universal Angle Connector R1013	PG + RAL1013		14x297x142	0,147	CSU36110012






T-connection with 2 pieces CSU361100x2



Corner connection up to 330 with coupling piece CSU08940005



Corner connection up to 600 with coupling piece CSU08960000


**Universal Angle Connector Cover**

To protect cables and prevent dust buildup. The cover is secured with a spring.

Universal Angle Connector Cover	PG		63x100x140	0,103	CSU08980000
Universal Angle Connector Cover R1013	PG + RAL1013		63x100x140	0,103	CSU08980010

Flat fittings

Flat fittings




Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg /piece	Article No.
------	-------------------	---------	--------------------	-----------	-------------

Tray piece closed


For creating right-angled branches on cable trays. Supplied flat, it must be bent into shape before installation. Secure with Fixing Clip for Flat form pieces CSU08856050 and/or M6x10 mounting screw.

Tray piece closed 70x60	PG	70	14x183x158	0,133	CSU36510702
Tray piece closed 120x60	PG	120	14x233x158	0,172	CSU36511202
Tray piece closed 200x60	PG	200	14x313x158	0,232	CSU36512002
Tray piece closed 250x60	PG	250	14x363x158	0,268	CSU36512502
Tray piece closed 70x60	PG + RAL1013	70	14x183x158	0,133	CSU36510712
Tray piece closed 120x60	PG + RAL1013	120	14x233x158	0,172	CSU36511212
Tray piece closed 200x60	PG + RAL1013	200	14x313x158	0,232	CSU36512012
Tray piece closed 250x60	PG + RAL1013	250	14x363x158	0,268	CSU36512512

**Reducing piece**

For symmetrically reducing the size of cable trays. Supplied flat, it must be bent into shape before installation. Mount to cable tray with Fixing Clip for Flat form pieces CSU08856050 or with mounting screw M6x10.

Reducing piece 70-120x60	PG	70-120	14x270x228	0,215	CSU36252202
Reducing piece 70-200x60	PG	70-200	14x372x241	0,311	CSU36252402
Reducing piece 70-250x60	PG	70-250	14x430x213	0,349	CSU36252602
Reducing piece 120-200x60	PG	120-200	14x356x251	0,330	CSU36254702
Reducing piece 120-250x60	PG	120-250	14x421x241	0,356	CSU36254802
Reducing piece 200-250x60	PG	200-250	14x391x256	0,377	CSU36256402
Reducing piece 70-120x60 R1013	PG + RAL1013	70-120	14x270x228	0,215	CSU36252212
Reducing piece 70-200x60 R1013	PG + RAL1013	70-200	14x372x241	0,311	CSU36252412
Reducing piece 70-250x60 R1013	PG + RAL1013	70-250	14x430x213	0,349	CSU36252612
Reducing piece 120-200x60 R1013	PG + RAL1013	120-200	14x356x251	0,330	CSU36254712
Reducing piece 120-250x60 R1013	PG + RAL1013	120-250	14x421x241	0,356	CSU36254812
Reducing piece 200-250x60 R1013	PG + RAL1013	200-250	14x391x256	0,377	CSU36256412

**Reducing piece cover**

To protect cables and prevent dust buildup. Mount to an adapter with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Reducing piece cover 70-120	PG	70-120	11x137x75	0,055	CSU30252202
Reducing piece cover 70-200	PG	70-200	11x200x100	0,101	CSU30252402
Reducing piece cover 70-250	PG	70-250	11x250x88	0,106	CSU30252602
Reducing piece cover 120-200	PG	120-200	11x200x100	0,175	CSU30254702
Reducing piece cover 120-250	PG	120-250	11x250x100	0,132	CSU30254802
Reducing piece cover 200-250	PG	200-250	11x250x100	0,156	CSU30256402
Reducing piece cover 70-120 R1013	PG + RAL1013	70-120	11x137x75	0,055	CSU30252212
Reducing piece cover 70-200 R1013	PG + RAL1013	70-200	11x200x100	0,101	CSU30252412
Reducing piece cover 70-250 R1013	PG + RAL1013	70-250	11x250x88	0,106	CSU30252612
Reducing piece cover 120-200 R1013	PG + RAL1013	120-200	11x200x100	0,175	CSU30254712
Reducing piece cover 120-250 R1013	PG + RAL1013	120-250	11x250x100	0,132	CSU30254812
Reducing piece cover 200-250 R1013	PG + RAL1013	200-250	11x250x100	0,156	CSU30256412

Flat fittings

Flat fittings



Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
------	-------------------	---------	--------------------	------------	-------------

Stop end/universal reducer piece



For symmetrical or asymmetrical taper of cable trays. Before bending to the desired size, first remove the knockout corners of the folded edge. It is recommended to install the cable trays with a slight overlap.

Stop end/universal reducer piece 605	PG	70-330	64x10x605	0,325	CSU08940000
Stop end/universal reducer piece 957	PG	400-600	64x10x957	0,455	CSU08960000

Stop end/universal reducer piece 605 R1013	PG + RAL1013	70-330	64x10x605	0,325	CSU08940010
Stop end/universal reducer piece 957 R1013	PG + RAL1013	400-600	64x10x957	0,455	CSU08960010



Asymmetric reduction with Stop end/universal reducer piece CSU089600xx and Side Joint CSU08010000



Symmetrical reduction with 2 Stop end/universal reducer pieces CSU089400xx

Internal riser

For creating 90° vertical riser bends. Supplied flat, it must be bent into shape before installation. Mount to cable tray with Fixing Clip for Flat form pieces CSU08856050 or with M6x10 mounting screw.

Internal riser 70x60	PG	70	14x287x270	0,335	CSU36230702
Internal riser 120x60	PG	120	14x337x270	0,422	CSU36231202
Internal riser 200x60	PG	200	14x417x270	0,560	CSU36232002
Internal riser 250x60	PG	250	14x467x270	0,646	CSU36232502
Internal riser 330x60	PG	330	14x547x270	0,783	CSU36233302

Internal riser 70x60 R1013	PG + RAL1013	70	14x287x270	0,335	CSU36230712
Internal riser 120x60 R1013	PG + RAL1013	120	14x337x270	0,422	CSU36231212
Internal riser 200x60 R1013	PG + RAL1013	200	14x417x270	0,560	CSU36232012
Internal riser 250x60 R1013	PG + RAL1013	250	14x467x270	0,646	CSU36232512
Internal riser 330x60 R1013	PG + RAL1013	330	14x547x270	0,783	CSU36233312

Cover internal bend


To protect wiring and prevent dust buildup. Mount to the riser with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Cover internal bend 70	PG	70	11x70x126	0,071	CSU30230702
Cover internal bend 120	PG	120	11x120x126	0,111	CSU30231202
Cover internal bend 200	PG	200	11x200x126	0,175	CSU30232002
Cover internal bend 250	PG	250	11x250x126	0,215	CSU30232502
Cover internal bend 330	PG	330	11x330x126	0,279	CSU30233302

Cover internal bend 70 R1013	PG + RAL1013	70	11x70x126	0,071	CSU30230712
Cover internal bend 120 R1013	PG + RAL1013	120	11x120x126	0,111	CSU30231212
Cover internal bend 200 R1013	PG + RAL1013	200	11x200x126	0,175	CSU30232012
Cover internal bend 250 R1013	PG + RAL1013	250	11x250x126	0,215	CSU30232512
Cover internal bend 330 R1013	PG + RAL1013	330	11x330x126	0,279	CSU30233312

Flat fittings

Flat fittings



Type	Surface treatment	Breedte	Dimension AxB (mm)	Kg / piece	Article No.
------	-------------------	---------	--------------------	------------	-------------

Drop piece closed

For creating vertical 90° drop bends. Supplied flat, it must be bent into shape before installation. Mount to cable tray with Fixing Clip for Flat form pieces CSU08856050 or with mounting screw M6x10. The Drop piece closed is extra high for better support of thick cables.

Drop piece closed 70x60	PG	70	14x257x358	0,745	CSU36220702
Drop piece closed 120x60	PG	120	14x307x358	0,882	CSU36221202
Drop piece closed 200x60	PG	200	14x387x358	1,134	CSU36222002
Drop piece closed 250x60	PG	250	14x437x358	1,277	CSU36222502
Drop piece closed 330x60	PG	330	14x517x358	1,480	CSU36223302

Drop piece closed 70x60 R1013	PG + RAL1013	70	14x257x358	0,745	CSU36220712
Drop piece closed 120x60 R1013	PG + RAL1013	120	14x307x358	0,882	CSU36221212
Drop piece closed 200x60 R1013	PG + RAL1013	200	14x387x358	1,134	CSU36222012
Drop piece closed 250x60 R1013	PG + RAL1013	250	14x437x358	1,277	CSU36222512
Drop piece closed 330x60 R1013	PG + RAL1013	330	14x517x358	1,480	CSU36223312

Cover external bend

To protect wiring and prevent dust buildup. Attaches to a corner attachment with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Cover external bend 70	PG	70	11x70x148	0,370	CSU30220702
Cover external bend 120	PG	120	11x120x148	0,568	CSU30221202
Cover external bend 200	PG	200	11x200x148	0,888	CSU30222002
Cover external bend 250	PG	250	11x250x148	1,086	CSU30222502
Cover external bend 330	PG	330	11x330x148	1,406	CSU30223302

Cover external bend 70 R1013	PG + RAL1013	70	11x70x148	0,370	CSU30220712
Cover external bend 120 R1013	PG + RAL1013	120	11x120x148	0,568	CSU30221212
Cover external bend 200 R1013	PG + RAL1013	200	11x200x148	0,888	CSU30222012
Cover external bend 250 R1013	PG + RAL1013	250	11x250x148	1,086	CSU30222512
Cover external bend 330 R1013	PG + RAL1013	330	11x330x148	1,406	CSU30223312

Adjustable external hinge coupler

For creating horizontal offsets and variable slope and rise angles. Connect to cable tray with M6x10 mounting screw. Supplied as a set of two. Adjustment range: 2x90°.


Adjustable external hinge coupler	PG	70-600	11x64x234	0,220	CSU08750000
Adjustable external hinge coupler R1013	PG + RAL1013	70-600	11x64x234	0,220	CSU08750010

Vertical T piece

For creating vertical branches in horizontal cable trays of equal width. Supplied flat and bent to shape before installation. Assemble with M6x10 mounting screw. Connect to cable tray with quick-release Connector spring CSU08854000 or M6x10 mounting screw.


Vertical T piece 70x60	PG	70	27x250x252	1,323	CSU36210702
Vertical T piece 120x60	PG	120	27x285x287	1,607	CSU36211202
Vertical T piece 200x60	PG	200	27x342x344	2,061	CSU36212002
Vertical T piece 250x60	PG	250	27x377x379	2,348	CSU36212502
Vertical T piece 330x60	PG	330	27x434x436	2,807	CSU36213302

Vertical T piece 70x60 R1013	PG + RAL1013	70	27x250x252	1,323	CSU36210712
Vertical T piece 120x60 R1013	PG + RAL1013	120	27x285x287	1,607	CSU36211212
Vertical T piece 200x60 R1013	PG + RAL1013	200	27x342x344	2,061	CSU36212012
Vertical T piece 250x60 R1013	PG + RAL1013	250	27x377x379	2,348	CSU36212512
Vertical T piece 330x60 R1013	PG + RAL1013	330	27x434x436	2,807	CSU36213312



Flat fittings

Flat fittings



Type	Surface treatment	Breedte	Dimension AxB (mm) 	Kg /piece	Article No.
------	-------------------	---------	--	-----------	-------------


Vertical wall piece

For creating vertical branches along walls in horizontal cable trays of equal or smaller width. Supplied flat; must be bent into shape before installation. Includes vertical section cover. Cut out the cable tray on site. Connect to cable tray with quick-release Connector spring CSU08854000 or M6x10 mounting screw. Secure the cover with Universal cover clip CSU08855000 or Cover clamp captive CSU76240000.

Vertical wall piece 70	PG	70	14x412x241	0,418	CSU36240702
Vertical wall piece 120	PG	120	14x462x241	0,480	CSU36241202
Vertical wall piece 200	PG	200	14x542x241	0,577	CSU36242002
Vertical wall piece 250	PG	250	14x592x241	0,639	CSU36242502
Vertical wall piece 330	PG	330	14x672x241	0,737	CSU36243302
Vertical wall piece 70	PG + RAL1013	70	14x412x241	1,811	CSU36240712
Vertical wall piece 120	PG + RAL1013	120	14x462x241	2,115	CSU36241212
Vertical wall piece 200	PG + RAL1013	200	14x542x241	2,334	CSU36242012
Vertical wall piece 250	PG + RAL1013	250	14x592x241	2,641	CSU36242512
Vertical wall piece 330	PG + RAL1013	330	14x672x241	2,641	CSU36243312

Flat end piece

For correctly finishing cable tray end pieces. Supplied flat, it must be bent into shape before installation. Connect to cable tray with quick-release Connector spring CSU08854000 or with M6x10 mounting screw.



Flat end piece 70x60	PG	70	11x64x202	0,137	CSU36180704
Flat end piece 120x60	PG	120	11x64x252	0,170	CSU36181204
Flat end piece 200x60	PG	200	11x64x332	0,222	CSU36182004
Flat end piece 250x60	PG	250	11x64x382	0,254	CSU36182504
Flat end piece 330x60	PG	330	11x64x462	0,306	CSU36183304
Flat end piece 400x60	PG	400	11x64x532	0,352	CSU36184004
Flat end piece 500x60	PG	500	11x64x632	0,417	CSU36185004
Flat end piece 600x60	PG	600	11x64x732	0,482	CSU36186004
Flat end piece 70x60 R1013	PG + RAL1013	70	11x64x202	0,137	CSU36180714
Flat end piece 120x60 R1013	PG + RAL1013	120	11x64x252	0,170	CSU36181214
Flat end piece 200x60 R1013	PG + RAL1013	200	11x64x332	0,222	CSU36182014
Flat end piece 250x60 R1013	PG + RAL1013	250	11x64x382	0,254	CSU36182514
Flat end piece 330x60 R1013	PG + RAL1013	330	11x64x462	0,306	CSU36183314
Flat end piece 400x60 R1013	PG + RAL1013	400	11x64x532	0,352	CSU36184014
Flat end piece 500x60 R1013	PG + RAL1013	500	11x64x632	0,417	CSU36185014
Flat end piece 600x60 R1013	PG + RAL1013	600	11x64x732	0,482	CSU36186014